

butech



Professional book

PORCELANOSA Grupo



BY APPOINTMENT TO
H.M. THE KING
MANUFACTURERS AND DISTRIBUTORS
OF CERAMIC TILES AND BUILDING PRODUCTS
PORCELANOSA UK LIMITED

PORCELANOSA Grupo



Trusted professional solutions

butech is part of Grupo PORCELANOSA, a world leader in the design and production of superior quality ceramics. Following on from adhesives and sealing materials for ceramics, **butech** has evolved to more complex installation systems such as façades and technical flooring.

butech's main aim is to provide PORCELANOSA customers with materials and installation systems which enable successful installation of any type of ceramic flooring or cladding.

butech knows what every kind of ceramics needs and offers technical as well as decorative solutions which allow its installation with total success guarantee.

Spirit of innovation

butech has invested in the latest technology to develop technical solutions which facilitate the commissioning and delivery of even better designs using PORCELANOSA ceramics.

Over the last few years, **butech** has introduced innovative installation materials, decorative profiles, shower tray and levelling systems which have become an industry standard. Moreover, **butech** is a leading company in innovation and development of façade systems for the various cladding materials from Grupo PORCELANOSA: STON-KER, PAR-KER, SOLID-KER, XLIGHT, XTONE, NATURAL STONE and KRION.

PORCELANOSA Grupo



Corporate Social Responsibility

At Porcelanosa we use exclusively renewable energy, generating 30% of our energy ourselves. More than 90% of our lighting is LED efficient, and half of our facilities use natural light. We have electric vehicles and in 2021 we will reforest with 17 000 trees. We reuse, recycle or recover more than 95% of our waste, and we have reduced water consumption by 20% in the manufacture of coatings, using dry grinding and reusing 100% of waste water. Our collections include between 10% and 95% recycled material, with the Ecologic series standing out. We calculate and reduce our carbon footprint annually, promoting the circular economy and contributing to LEED, BREAM and GREEN certifications.

Environmental commitment

The environmental commitment Porcelanosa has shown toward its immediate surroundings and the environment as a whole has characterized the company since its origins is clearly reflected by ECOTECH®.

ECOTECH® is a collection of environmental ideas and initiatives, including substantial yearly investment into systems for recycling water, waste re-use, environmental protection and energy saving and it is a ISO 14001 certified environmental management system.

Table of Contents

Laying ceramic tiles

Adhesives

Cementitious adhesives	14
Reactive resin adhesives	17
Water-based adhesive	18
Polymer adhesive	19
Additives for cementitious adhesives	19
Choice of adhesives	20

Clips for bonded facades

22

Joint materials

Cementitious joints	25
Additives for cementitious joints	28
Reactive resin joints	29
Neutral silicones	31
Polyurethane fillers	31
Calculation of joints and self-levelling spacers	33

Levelling systems

Self-levelling spacer	35
-----------------------	----

Primer

Non-absorbent surfaces	41
Absorbent substrates	41

Self-levelling mortars

Without underfloor heating	43
Underfloor heating	43

Cleaning products

45

Waterproofing, de-solation and drainage

Waterproofing

Indoor waterproofing	50
Outdoor waterproofing	52

Decoupling

Decoupling interior flooring	54
Decoupling exterior flooring	55

Pool drainage

57

Built-in showers

Drainage through the shower tray - shower deck	61
Drainage through the wall/floor joint - shower-line n	62
Kits and grates for built-in showers	64
Profiles for shower trays	66
Linear grates	68
Square grates	69
Waterproofing and drain for grates	70
Square grate + drain	70
Concept XPS shower trays	72

Profiles and skirting boards

Decorative profiles

Living Collection	76
Gold Collection	78
Metal Collection	80
Texture Collection	82
Chrome Collection	84
Pro-telo Collection	87

LED profiles

Profiles for large format tiles	89
Profiles for ceramic tiles	89
Profiles for skirting boards	93
Lighting systems	94

Technical profiles

Corners and finishes for wall tiles	98
Profiles for shower trays	108
Concave profiles for waterproofing joints	111
Transition profiles	112
Movement joints	114
Structural joints	116
Profiles for steps	117

Skirting boards

Profiles for skirting boards	119
------------------------------	-----

Construction systems

Floating stairs	124
Modular XPS niches	126
Concept XPS panels	128
Electric underfloor heating	130

Raised technical floor

Exterior raised access flooring	134
Riven	136
Tanzania	137
Rox New	138
Berna	139
Durango	141
Bottega	142

Product index

5 mm COB LED strip	94	imperbox	51	pro-shower wall	66 - 108
10 mm COB LED strip	94	imperbox accessories	51	pro-skirting	119
12 mm COB LED strip	94			pro-skirting accessories	119
a		l		pro-skirting LED	93
acid net	45	lami-band eco	55	pro-skirting LED accessories	93
anti-cracking mat	54	lamitech n	55	pro-step	117
b		level 1 pro	43	pro-T	112
basic gel	46	level 3	43	pro-telo Collection	87
bathroom drain	70	linear eco grate kit	64	pro-telo light 11	90
Berna	139	linear grate	68	pro-telo light 4	90
Bottega	142	linkfloor fix	18	r	
c		living Collection	76	Riven	136
chrome Collection	84	m		Rox New	138
cl-stuk	28	maxifluid	15	s	
colorstuk 0-4 n	26	metal Collection	80	s-107 n	31
colorstuk especial	27	modular XPS niches	127	self-levelling spacers accessories	39
colorstuk rapid n	25	n		self-levelling spacers kits	39
concealed clips	22	non slip tile	47	self-levelling spacers 0.5 mm	35
concept XPS panel	129	o		self-levelling spacers 1 mm	35
concept XPS panel accessories	129	one-flex premium	15	self-levelling spacers 2 mm	36
concept XPS shower trays	72	p		self-levelling spacers 3 mm	36
control 10GM	131	p-404	31	self-levelling spacers 5 mm	37
customised technical footprint	134	politech n	17	self-levelling spacers 2 mm for 20 mm ceramic tiles	37
d		politech premium	17	self-levelling spacers 5 mm for 20 mm ceramic tiles	38
Durango	141	pool-deck	57	self-levelling wedges	38
e		porce-clean	45	shower deck n	61
epotech aqua	29	premium S.R.E. mesh	131	shower line n	62
epotech crystal	30	pro-corner	106	skins fix	18
epoxy cleaner	46	pro-corner light	91	square grate and drain	53
epoxy cleaning kit	47	pro-dilata	114	square grate	69
exterior raised access flooring	134	pro-level	113	steps	125
f		pro-light 100W 24V transformer	95	structural joints	116
fr-one n	14	pro-light 11	89	super-flex	16
g		pro-light 7.5	89	super-one n	16
gold Collection	78	pro-mate 2	98	super-prim	41
h		pro-mate 3	99	sylastic	52
h-920	19	pro-mate 45	104	sylastic accessories	53
i		pro-mate 45 top light	91	t	
imperband eco	50	pro-mate 5	100	Tanzania	137
imperband eco standard kit	70	pro-part	102	texture Collection	82
imperband eco thin kit	70	pro-part Li	101	tixocem plus	14
		pro-plint	120	u	
		pro-plint accessories	120	unilax	19
		pro-sanit	111	uniprim	41
		pro-shower deco	67 - 109	v	
		pro-shower floor	66 - 108	visible clips	23



Adhesives for the installation of building materials

butech adhesives are the perfect choice for and other coverings such as natural stone, mosaics, vinyl flooring and even wallpaper, offering high-quality solutions and exceptional performance. With a wide range of options, **butech** offers cementitious adhesives, reactive resin adhesives and water-based adhesives to suit various installation needs.



Check our adhesives for installation



Cementitious adhesives tixocem plus

Cementitious adhesive for absorbent ceramic tiles on cement or plasterboard substrates and non-absorbent ceramic tiles on cement substrates.



Compliant with European standard EN 12004
C1TE

Coverage: 3-5 kg/m²

Recommendations for residential installations without underfloor heating and on cement-based substrates / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses

Facade	Outdoor floor	Interior wall	Interior floor	Shower area	Pool	Wall tile	Porcelain stoneware	XLight XTone	Special coverings	Underfloor heating	Ceramic overlay
		≤ 60 cm	≤ 30 cm			≤ 60 cm	≤ 30 cm				

SAP	Presentation	Europalet	PTU*
100043280 tixocem plus blanco	bag 25 kg	1200 kg	0,62

* Price list in points per kg. Taxes not included.



Cementitious adhesives fr-one n

Technological cementitious adhesive for all types of ceramic tiles on the most common substrates in construction.



Compliant with European standard EN 12004
C2TE

Coverage: 4-6 kg/m²

Recommendations for residential installations without underfloor heating and on cement-based substrates / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses

Facade	Outdoor floor	Interior wall	Interior floor	Shower area	Pool	Wall tile	Porcelain stoneware	XLight XTone	Special coverings	Underfloor heating	Ceramic overlay
kneaded with unilax	kneaded with unilax	≤ 120 cm	≤ 120 cm		kneaded with unilax	≤ 120 cm	≤ 80 cm			kneaded with unilax	

SAP	Presentation	Europalet	PTU*
100004241 fr-one n blanco	bag 25 kg	1000 kg	1,20
100004244 fr-one n gris	bag 25 kg	1000 kg	1,14

* Price list in points per kg. Taxes not included.

Levels of use recommended suitable not suitable



Cementitious adhesives maxifluid

High-performance fluid cementitious adhesive for all types of ceramic tiles on floors.



Compliant with European standard EN 12004
C2ES1

Coverage: 5-8 kg/m²

Recommendations for residential installations without underfloor heating and on cement-based substrates / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses

Facade	Outdoor floor	Interior wall	Interior floor	Shower area	Pool	Wall tile	Porcelain stoneware	XLight XTone	Special coverings	Underfloor heating	Ceramic overlay
	≤ 60 cm									≤ 90 cm	

SAP	Presentation	Europalet	PTU*
100033113 maxifluid gris	bag 25 kg	1000 kg	1,15

* Price list in points per kg. Taxes not included.



Cementitious adhesives one-flex premium

New generation flexible cementitious adhesive for all types of ceramic tiles on the most common substrates in construction.



Compliant with European standard EN 12004
C2TES1

Coverage: 5-7 kg/m²

Recommendations for residential installations without underfloor heating and on cement-based substrates / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses

Facade	Outdoor floor	Interior wall	Interior floor	Shower area	Pool	Wall tile	Porcelain stoneware	XLight XTone	Special coverings	Underfloor heating	Ceramic overlay
≤ 60 cm	≤ 60 cm									≤ 90 cm	

SAP	Presentation	Europalet	PTU*
100201526 one-flex premium blanco	bag 25 kg	1000 kg	1,56
100201543 one-flex premium gris	bag 25 kg	1000 kg	1,50

* Price list in points per kg. Taxes not included.

Levels of use recommended suitable not suitable



Cementitious adhesives

super-one n

Flexible cementitious adhesive, walkable after 4 hours. Especially recommended for the rapid installation of ceramic tiles and natural stone.




Compliant with European standard EN 12004
C2FTS1

Coverage: 5-7 kg/m²

Recommendations for residential installations without underfloor heating and on cement-based substrates / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses



SAP	Presentation	Europalet	PTU*
100031188 super-one n blanco	bag 25 kg	1000 kg	2,01
100031189 super-one n gris	bag 25 kg	1000 kg	1,39

* Price list in points per kg. Taxes not included.



Reactive resin adhesives

politech n

Two-component polyurethane-based adhesive for all types of tiles on deformable substrates.



Compliant with European standard EN 12004
R2T

Coverage: 3-4 kg/m²

Recommendations for residential installations without underfloor heating / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses



SAP	Presentation	Europalet	PTU*
100138260 politech n	bucket 12 kg	576 kg	12,62

* Price list in points per kg. Taxes not included.



Cementitious adhesives

super-flex

High-performance flexible adhesive for all types of ceramic tiles on the most common substrates used in construction. Especially recommended for laying large-format ceramic tiles.



Compliant with European standard EN 12004
C2ES2

Coverage: 4-6 kg/m²

Recommendations for residential installations without underfloor heating and on cement-based substrates / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses



SAP	Presentation	Europalet	PTU*
100142757 super-flex s2 blanco	bag 15 kg	600 kg	4,02

* Price list in points per kg. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Reactive resin adhesives

politech premium

Easy-to-use, two-component epoxy-based adhesive, particularly suitable when maximum adhesion and deformability are required, such as in installations of L'ANTIC COLONIAL AIRSLATE sheets.




Compliant with European standard EN 12004
R2T

Coverage: 3-4 kg/m²

Recommendations for residential installations without underfloor heating / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses



SAP	Presentation	Europalet	PTU*
100217753 politech premium	bucket 10 kg	330 kg	18,54

* Price list in points per kg. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Water-based adhesive


linkfloor fix

Solvent-free acrylic adhesive for light coverings such as carpets, PVC tiles, rubber or linoleum, even on floors with heavy traffic.

Coverage: 300-1500 g/m²

Recommendations for residential installations without underfloor heating / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses



SAP	Presentation	Europalet	PTU*
100243761 linkfloor fix	bucket 20 kg	640 kg	12,69

* Price list in points per kg. Taxes not included.



Water-based adhesive


skins fix

Adhesive for hanging all types of wallpaper: non-woven (TNT), vinyl, duplex, light, heavy and others.

Coverage: 125-150 g/m²

Recommendations for residential installations without underfloor heating / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses



SAP	Presentation	Europalet	PTU*
100309616 skins fix	bucket 3 kg	378 kg	7,85

* Price list in points per kg. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Polymer adhesive


h-920

High-performance hybrid polymer adhesive and sealant for all types of coverings and substrates.

Coverage: 2 m²/cartridge

Recommendations for residential installations without underfloor heating and on cement-based substrates / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses



SAP	Presentation	Box	PTU*
100292915 h-920 blanco	cartridge 290 ml	25 u.	12,19

* Price list in points per u. Taxes not included.

Additives for cementitious adhesives

unilax

Latex that replaces water in the mixing of C2 adhesives, improving the adhesion and deformability of the bonding material to a level equivalent to S2.



Coverage: Depending on adhesive

Recommendations for residential installations without underfloor heating and on cement-based substrates / For materials, substrates and applications not described on this page, please consult the product data sheet.

Uses



SAP	Presentation	Europalet	PTU*
100004376 unilax	bottle 20 kg	560 kg	7,27

* Price list in points per kg. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable

Choice of adhesives

The recommended adhesives have the minimum characteristics for the chosen installation. There may be other bonding materials with superior performance that could also be used; please consult this catalogue.

For other substrates, please consult the Porcelanosa sales team or the **butech** technical department.

	format (cm)	interior floor				exterior floor
		cement mortar	anhydrite / plaster	pre-existing ceramic tiles	mortar over underfloor heating	cement mortar
G porcelain stoneware	59,6 x 59,6	fr-one	fr-one*	fr-one	one-flex premium	one-flex premium
	40 x 80	fr-one	fr-one*	fr-one	one-flex premium	super-flex s2
	80 x 80	fr-one	fr-one*	fr-one	one-flex premium	super-flex s2
	22 x 90	fr-one	fr-one*	fr-one	one-flex premium	super-flex s2
	100 x 100	fr-one	fr-one*	one-flex premium	super-flex s2	super-flex s2
	19,3 x 120	fr-one	fr-one*	one-flex premium	super-flex s2	super-flex s2
	59,6 x 120	fr-one	fr-one*	one-flex premium	super-flex s2	super-flex s2
	29,4 x 120	fr-one	fr-one*	one-flex premium	super-flex s2	super-flex s2
	120 x 120	fr-one	fr-one*	one-flex premium	super-flex s2	super-flex s2
	23 x 150	one-flex premium	one-flex premium*	one-flex premium	super-flex s2	super-flex s2
	19,3 x 180	one-flex premium	one-flex premium*	one-flex premium	super-flex s2	super-flex s2
	29,4 x 180	one-flex premium	one-flex premium*	one-flex premium	super-flex s2	super-flex s2
	59,6 x 180	one-flex premium	one-flex premium*	one-flex premium	super-flex s2	super-flex s2
X xlight	120 x 120	one-flex premium	one-flex premium*	super-flex s2	super-flex s2	super-flex s2
	120 x 270	super-flex s2	super-flex s2*	super-flex s2	super-flex s2	super-flex s2

* before using the adhesive, apply **uniprim** primer

	format (cm)	interior wall				exterior wall	
		cement mortar	anhydrite / plaster	plasterboard	pre-existing ceramic tiles	cement mortar	
M wall tile	25 x 44,3	fr-one	fr-one*	fr-one	fr-one	not applicable	
	33,3 x 59,2	fr-one	fr-one*	fr-one	fr-one	not applicable	
	33,3 x 100	fr-one	fr-one*	one-flex premium	one-flex premium	not applicable	
	45 x 120	fr-one	fr-one*	one-flex premium	one-flex premium	not applicable	
	59,6 x 120	fr-one	fr-one*	one-flex premium	one-flex premium	not applicable	
	59,6 x 150	one-flex premium	one-flex premium*	super-flex s2	super-flex s2	not applicable	
	G porcelain stoneware	59,6 x 59,6	fr-one	fr-one*	fr-one	fr-one	one-flex premium
		40 x 80	fr-one	fr-one*	one-flex premium	one-flex premium	super-flex s2
80 x 80		fr-one	fr-one*	one-flex premium	one-flex premium	super-flex s2	
22 x 90		fr-one	fr-one*	one-flex premium	one-flex premium	super-flex s2	
100 x 100		fr-one	fr-one*	one-flex premium	one-flex premium	super-flex s2	
19,3 x 120		fr-one	fr-one*	one-flex premium	one-flex premium	super-flex s2	
59,6 x 120		fr-one	fr-one*	one-flex premium	one-flex premium	super-flex s2	
29,4 x 120		fr-one	fr-one*	one-flex premium	one-flex premium	super-flex s2	
120 x 120		fr-one	fr-one*	one-flex premium	one-flex premium	super-flex s2	
23 x 150		one-flex premium	one-flex premium*	super-flex s2	super-flex s2	super-flex s2	
19,3 x 180		one-flex premium	one-flex premium*	super-flex s2	super-flex s2	super-flex s2	
29,4 x 180		one-flex premium	one-flex premium*	super-flex s2	super-flex s2	super-flex s2	
59,6 x 180		one-flex premium	one-flex premium*	super-flex s2	super-flex s2	super-flex s2	
X xlight	120 x 120	one-flex premium	one-flex premium*	super-flex s2	super-flex s2	super-flex s2	
	120 x 270	super-flex s2	super-flex s2	super-flex s2	super-flex s2	super-flex s2	

* before using the adhesive, apply **uniprim** primer

Clips for bonded facades

visible clips



Visible clip for tiles at least 10 mm thick. Maximum installation joint: 7 mm.

Does not include screw and plug for cement plastering. Compatible with non-grooved tiles.

SAP	visible clip	Presentation	PTU*
100110368	intermediate	bag 50 u.	1,70
100110369	start/end	bag 50 u.	1,70

* Price list in points per u. Taxes not included.

Visible clip for tiles at least 8.5 mm thick. Maximum installation joint: 7 mm.

Does not include screw and plug for cement plastering. Compatible with non-grooved tiles.

SAP	visible clip	Presentation	PTU*
100315272	intermediate	bag 50 u.	1,64
100315290	start/end	bag 50 u.	1,64

* Price list in points per u. Taxes not included.

Visible clip for 6 mm thick sheets. Maximum installation joint: 7 mm.

Does not include screw and plug for cement plastering. Compatible with non-grooved tiles.

SAP	visible clip	Presentation	PTU*
100315292	intermediate	bag 50 u.	1,54
100315265	start/end	bag 50 u.	1,54

* Price list in points per u. Taxes not included.



Hidden clip intermediate



Visible clip start/end



Hidden clip intermediate



Visible clip start/end



Hidden clip intermediate



Visible clip start/end

Clips for bonded facades

concealed clips



Concealed clip for tiles at least 10 mm thick. Maximum installation joint: 7 mm.

Grooved tiles must be used.

Includes clip, screw and plug for cement plastering.

SAP	hidden clip	Presentation	PTU*
100005743	intermediate	bag 50 u.	1,57
100005744	start/end 40 mm	bag 50 u.	1,57
100005745	start/end 80 mm	bag 50 u.	1,74
100315264	interlocking joint	bag 50 u.	2,02

* Price list in points per u. Taxes not included.

Concealed clip for 6 mm thick ceramic tiles our for ceramic tiles at least 8.5 mm thick.

Grooved tiles must be used. Does not include adhesive h-920.

Includes clip, screw and plug for cement plastering.

SAP	hidden clip	Presentation	PTU*
100383310	Xlight	bag 50 u.	3,73
100383311	porcelain tiles L	bag 50 u.	3,73

* Price list in points per u. Taxes not included.

	Thickness (mm)	Format (cm)	Type of installation	Intermediate clip	Clips/m ²	Start/end clip	Clips/m ²
Xlight	6	120 x 120	Horizontal	100383310	1,40		
	6	120 x 270	Horizontal	100383310	1,00		
porcelain stoneware	8,5	59,6 x 59,6	Horizontal	100383311	2,90		
	8,5	80 x 80	Horizontal	100383311	3,20		
	8,5	100 x 100	Horizontal	100383311	2,00		
	8,5	120 x 120	Horizontal	100383311	1,40		
> 10	40 x 80	Horizontal	100005743	5,10	100005744 *	1,20	
> 10	23 x 150	Horizontal	100005743	7,00	100005744 *	1,70	
> 10	22 x 90	Horizontal	100005743	8,20	100005744 *	2,00	
> 10	19,3 x 120	Horizontal	100005743	7,00	100005744 *	1,70	
> 10	29,4 x 120	Horizontal	100005743	4,60	100005744 *	1,10	
> 10	59,6 x 120	Horizontal	100005743	2,30	100005744 *	0,50	
> 10	59,6 x 180	Horizontal	100005743	2,30	100005744 *	0,50	
> 10	23 x 200	Horizontal	100005743	5,30	100005744 *	1,30	
> 10	19,3 x 180	Horizontal	100005743	7,00	100005744 *	1,70	
> 10	29,4 x 180	Horizontal	100005743	4,60	100005744 *	1,10	

* 4 cm long clip; for other sizes, please refer to the catalogue.

Table for calculating hidden clips for bonded facades

To calculate the number of clips, multiply the figure in the table corresponding to the tile format by the number of metres of ceramic supplied, then round up to whole bags.


For vertical tile installations, consult the **butech** technical sales team.

Table for calculating visible clips for bonded facades

To calculate the number of clips, multiply the figure in the table corresponding to the tile format by the number of metres of ceramic supplied, then round up to whole bags.

The visible clips have a stainless steel finish. Consult the **butech** technical sales team for lacquering options according to the chosen ceramic model.For vertical tile installations, consult the **butech** technical sales team.

	Thickness (mm)	Format (cm)	Type of installation	Intermediate clip	Clips/m ²	Start/end clip	Clips/m ²
Xlight	6	120 x 120	Horizontal	100315292	1,68	100315265	0,42
	6	120 x 270	Horizontal	100315292	1,04	100315265	0,26
porcelain stoneware	8,5	59,6 x 59,6	Horizontal	100315272	4,60	100315290	1,10
	8,5	80 x 80	Horizontal	100315272	2,60	100315290	0,60
	8,5	100 x 100	Horizontal	100315272	1,60	100315290	0,40
	8,5	120 x 120	Horizontal	100315272	1,70	100315290	0,40
> 10	40 x 80	Horizontal	100110368	5,10	100110369	1,20	
> 10	23 x 150	Horizontal	100110368	7,00	100110369	1,70	
> 10	22 x 90	Horizontal	100110368	8,20	100110369	2,00	
> 10	19,3 x 120	Horizontal	100110368	7,00	100110369	1,70	
> 10	29,4 x 120	Horizontal	100110368	4,60	100110369	1,10	
> 10	59,6 x 120	Horizontal	100110368	2,30	100110369	0,50	
> 10	59,6 x 180	Horizontal	100110368	2,30	100110369	0,50	
> 10	23 x 200	Horizontal	100110368	5,30	100110369	1,30	
> 10	19,3 x 180	Horizontal	100110368	7,00	100110369	1,70	
> 10	29,4 x 180	Horizontal	100110368	4,60	100110369	1,10	



Grouting materials for the installation of ceramic tiles

butech offers a wide range of materials for grouting ceramic tiles, guaranteeing impeccable and long-lasting results. **butech's** Grouting materials are the perfect choice for achieving a uniform and resistant appearance.



Check out our grouting materials



Cementitious joints colorstuk rapid n

High-performance cementitious grout for joints up to 15 mm. Suitable for all types of ceramic tiles and natural stone, both indoors and outdoors.



Compliant with European standard EN 13888
CG2WA

Coverage: According to format. See table on page 33

Before using the joint material, check that it does not scratch, stain or damage the covering used.

Uses

- Facade 
- Outdoor floor 
- Interior wall 
- Interior floor 
- Shower area 
- Pool 
- Wall tile 
- Porcelain stoneware 
- XLight XTone 
- Special coverings 
- Underfloor heating 
- Ceramic overlay 

SAP	colorstuk rapid n	Presentation	Europalet	PTU*
100236463	blanco	bag 5 kg	400 kg	4,16
100275760	perla	bag 5 kg	400 kg	4,89
100236834	gris	bag 5 kg	400 kg	4,26
100236464	manhattan	bag 5 kg	400 kg	3,76
100236449	cemento	bag 5 kg	400 kg	3,62
100236481	antracita	bag 5 kg	400 kg	3,72
100236475	negro	bag 5 kg	400 kg	4,47
100236794	marfil	bag 5 kg	400 kg	5,21
100331788	caliza	bag 5 kg	400 kg	5,21
100236808	beige	bag 5 kg	400 kg	5,21
100236833	caramelo	bag 5 kg	400 kg	4,68
100236809	marron	bag 5 kg	400 kg	3,72
100236823	tabaco	bag 5 kg	400 kg	5,01
100236824	moka	bag 5 kg	400 kg	3,90
100353483	ash	bag 5 kg	400 kg	4,68
100353486	maple	bag 5 kg	400 kg	4,68
100353487	beech	bag 5 kg	400 kg	4,68
100353482	elm	bag 5 kg	400 kg	4,91
100353481	iroko	bag 5 kg	400 kg	4,68
100309550	oak	bag 5 kg	400 kg	5,13
100353485	doussie	bag 5 kg	400 kg	5,11

* Price list in points per kg. Taxes not included. The colours shown are approximate and may vary for printing reasons.

Levels of use  recommended  suitable  not suitable



Cementitious joints

colorstuk 0-4 n

High-performance cementitious jointing material for joints up to 4 mm. Suitable for all types of ceramic tiles and natural stone, both indoors and outdoor floors.



Compliant with European standard EN 13888

CG2WA

Coverage: **According to format. See table on page 33**

Before using the joint material, check that it does not scratch, stain or damage the covering used.

Uses



SAP	colorstuk 0-4 n	Presentation	Europalet	PTU*
100236442	blanco	bag 5 kg	400 kg	2,07
100275725	perla	bag 5 kg	400 kg	2,23
100236806	gris	bag 5 kg	400 kg	2,18
100236461	manhattan	bag 5 kg	400 kg	1,98
100236462	cemento	bag 5 kg	400 kg	1,98
100236409	antracita	bag 5 kg	400 kg	1,98
100236472	negro	bag 5 kg	400 kg	2,53
100236480	marfil	bag 5 kg	400 kg	1,98
100236419	beige	bag 5 kg	400 kg	2,61
100236446	marron	bag 5 kg	400 kg	1,98
100236807	moka	bag 5 kg	400 kg	2,13

* Price list in points per kg. Taxes not included.

The colours shown are approximate and may vary for printing reasons.

Levels of use ■ recommended ■ suitable ■ not suitable



Cementitious joints

colorstuk especial

Ultra-fine finishing joint material for joints up to 3 mm. Recommended for minimal joints and tiles with scratch-sensitive glaze.




Compliant with European standard EN 13888

CG2WA

Coverage: **According to format. See table on page 33**

Before using the joint material, check that it does not scratch, stain or damage the covering used.

Uses



SAP	colorstuk especial	Presentation	Europalet	PTU*
100238236	white	bag 2 kg	432 kg	6,55
100238229	vainilla	bag 2 kg	432 kg	6,55
100238261	moka	bag 2 kg	432 kg	6,55
100238235	nacare	bag 2 kg	432 kg	6,82
100238260	graphite	bag 2 kg	432 kg	9,56
100238251	dark	bag 2 kg	432 kg	9,64
100204245	ash	bag 2 kg	432 kg	2,96
100243271	maple	bag 2 kg	432 kg	5,30
100204254	beech	bag 2 kg	432 kg	2,96
100234451	elm	bag 2 kg	432 kg	3,28
100243281	iroko	bag 2 kg	432 kg	6,70
100204255	oak	bag 2 kg	432 kg	3,02
100204261	honey	bag 2 kg	432 kg	3,08
100204260	doussie	bag 2 kg	432 kg	3,22
100234433	wengue	bag 2 kg	432 kg	4,70

* Price list in points per kg. Taxes not included.

The colours shown are approximate and may vary for printing reasons.

Levels of use ■ recommended ■ suitable ■ not suitable



Additives for cementitious joints

cl-stuk

Latex that replaces water in the mixing of cementitious joints, improving abrasion resistance, deformability and impermeability.



Coverage: Depending on joint material

Uses



SAP	cl-stuk	Presentation	Europalet	PTU*
100004374	cl-stuk	bottle 2 kg	448 kg	6,93
100004375	cl-stuk	bottle 5 kg	480 kg	5,52

* Price list in points per kg. Taxes not included.



Levels of use ■ recommended ■ suitable ■ not suitable



Reactive resin joints

epotech aqua

Two-component joint material free of organic solvents and easy to apply. It is characterised by its watertightness, resistance to chemical attack, mechanical performance and colour stability over time. Maximum joint width: 10 mm.

Compliant with European standard EN 13888
RG

Coverage: According to format. See table on page 33

Before using the joint material, check that it does not scratch, stain or damage the covering used.

Uses



SAP	epotech aqua	Presentation	Europalet	PTU*
100182223	blanco	bucket 1,5 kg	315 kg	21,91
100182208	gris	bucket 1,5 kg	315 kg	21,57
100278467	manhattan	bucket 1,5 kg	315 kg	24,07
100278329	cemento	bucket 1,5 kg	315 kg	24,07
100182213	antracita	bucket 1,5 kg	315 kg	21,57
100278500	negro	bucket 1,5 kg	315 kg	24,07
100182217	marfil	bucket 1,5 kg	315 kg	21,57
100182222	beige	bucket 1,5 kg	315 kg	21,57
100278474	tabaco	bucket 1,5 kg	315 kg	24,07
100177504	ash	bucket 1,5 kg	315 kg	24,07
100177514	maple	bucket 1,5 kg	315 kg	24,07
100177494	beech	bucket 1,5 kg	315 kg	24,07
100177513	elm	bucket 1,5 kg	315 kg	24,07
100177505	iroko	bucket 1,5 kg	315 kg	24,07
100177484	oak	bucket 1,5 kg	315 kg	24,07
100177512	doussie	bucket 1,5 kg	315 kg	24,07

* Price list in points per kg. Taxes not included.

The colours shown are approximate and may vary for printing reasons.

Levels of use ■ recommended ■ suitable ■ not suitable



Reactive resin joints

epotech crystal

Two-component joint material free of organic solvents and easy to apply. It is characterised by its watertightness, resistance to chemical attack, mechanical performance and a translucent colour. Maximum joint width: 5 mm.




Compliant with European standard EN 13888

RG

 Coverage: **According to format. See table on page 33**

Before using the joint material, check that it does not scratch, stain or damage the covering used.

Uses


SAP	epotech crystal	Presentation	Europalet	PTU*
100126899	crystal	bucket 3 kg	315 kg	31,16

* Price list in points per kg. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Neutral silicones

s-107 n

Neutral silicone sealant for sealing joints. Especially recommended for sealing movement joints. Indoor and outdoor use.

Coverage: **Depending on joint**
Uses


SAP	s-107 n	Presentation	Box	PTU*
100005815	transparente	cartridge 300 ml	25 u.	7,89
100005814	blanco	cartridge 300 ml	25 u.	9,29
100005816	gris	cartridge 300 ml	25 u.	9,29
100120620	cemento	cartridge 300 ml	25 u.	9,29
100120608	antracita	cartridge 300 ml	25 u.	9,29
100005817	negro	cartridge 300 ml	25 u.	9,29
100120621	marfil	cartridge 300 ml	25 u.	9,29
100367172	caliza	cartridge 300 ml	25 u.	9,29
100115950	beige	cartridge 300 ml	25 u.	9,29
100120624	tabaco	cartridge 300 ml	25 u.	9,29

* Price list in points per u. Taxes not included.

The colours shown are approximate and may vary for printing reasons.



Polyurethane fillers

p-404

Polyurethane putty for sealing joints and also valid as an adhesive. Especially recommended for bonding all types of materials. Indoor and outdoor use.

Coverage: **Depending on joint**
Uses


SAP	p-404	Presentation	Box	PTU*
100005818	blanca	cartridge 300 ml	25 u.	7,87
100005819	gris	cartridge 300 ml	25 u.	7,87
100005820	negra	cartridge 300 ml	25 u.	8,12

* Price list in points per u. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Calculation of joints and self-levelling spacers

To calculate the amount of grout required, multiply the data in the table corresponding to the tile format by the width of the joint to be made and by the metres of ceramic tiles supplied; finally, round up to complete bags of grout.

To calculate the amount of spacers needed, multiply the data in the table corresponding to the tile format by the metres of ceramic tiles supplied, then round up to full bags of spacers.

	Format cm	Thickness mm	colorstuk 0-4 colorstuk especial g/m ²	colorstuk rapid epotech g/m ²	epotech aqua g/m ²	self-levelling crossbars u/m ²
M wall tile	25 x 44,3	8	83	89	84	37
	33,3 x 59,2	8,5	66	71	67	21
	33,3 x 100	9,2	61	65	62	16
	45 x 120	10,5	53	57	54	12
	59,6 x 120	10,5	44	47	44	9
	59,6 x 150	11	43	46	43	7
G porcelain stoneware	22 x 90	11,5	108	115	109	26
	23 x 150	11	92	98	92	18
	23 x 200	11,5	92	99	93	16
	19,3 x 120	11,5	115	122	116	26
	29,4 x 120	11,5	81	86	81	18
	19,3 x 180	12	114	122	115	21
	29,4 x 180	12	79	84	79	14
	40 x 80	10,5	65	70	66	16
	59,6 x 120	11,5	48	51	49	9
	59,6 x 180	11,5	43	46	43	8
	59,6 x 59,6	8,5	48	51	48	12
	80 x 80	8,5	36	38	36	10
	100 x 100	8,5	29	30	29	6
	120 x 120	8,5	24	25	24	6
X Xlight	120 x 120	6	17	18	17	6
	120 x 270	6	12	13	13	4

theoretical consumption for 1 mm wide joints

Levelling systems for installing ceramic tiles

butech offers levelling systems and self-levelling spacers that facilitate the installation of ceramic tiles, ensuring a flawless finish with no protrusions between tiles. With **butech**'s riser and spacer solutions, achieving a professional installation has never been easier.



Check out our self-leveling systems



Self-levelling spacers

self-levelling spacers 0.5 mm

Crosses for the **butech** ceramic tile levelling system. Facilitates the laying of ceramic tiles and guarantees perfect flatness of the final covering.

Coverage: **According to format. See table on page 33**

Before using the system, carry out a test to check that the ceramic tile is not damaged when the crosspiece breaks.

Uses

Facade	Outdoor floor	Interior wall	Interior floor	Shower area	Pool	Wall tile	Porcelain stoneware	XLight XTone	Special coverings	Underfloor heating	Ceramic overlay
						M thickness ≤ 15 mm	G thickness ≤ 15 mm	X	S		

SAP		Presentation	PTU*
100207811	self-levelling spacers 0.5 mm	bag 100 u.	16,21
100207797	self-levelling spacers 0.5 mm	bag 300 u.	44,32
100207740	self-levelling spacers 0.5 mm	bag 500 u.	72,80

* Price list in points per bag. Taxes not included.



Self-levelling spacers

self-levelling spacers 1 mm

Crosses for the **butech** ceramic tile levelling system. Facilitates the laying of ceramic tiles and guarantees perfect flatness of the final covering.

Coverage: **According to format. See table on page 33**

Before using the system, carry out a test to check that the ceramic tile is not damaged when the crosspiece breaks.

Uses

Facade	Outdoor floor	Interior wall	Interior floor	Shower area	Pool	Wall tile	Porcelain stoneware	XLight XTone	Special coverings	Underfloor heating	Ceramic overlay
						M thickness ≤ 15 mm	G thickness ≤ 15 mm	X	S		

SAP		Presentation	PTU*
100108026	self-levelling spacers 1 mm	bag 100 u.	16,21
100108027	self-levelling spacers 1 mm	bag 300 u.	44,32
100108028	self-levelling spacers 1 mm	bag 500 u.	72,80

* Price list in points per bag. Taxes not included.

Levels of use recommended suitable not suitable

Self-levelling spacers

self-levelling spacers 5 mm

Crosses for the **butech** ceramic tile levelling system. Facilitates the laying of ceramic tiles and guarantees perfect flatness of the final covering.

Coverage: **According to format. See table on page 33**

Before using the system, carry out a test to check that the ceramic tile is not damaged when the crosspiece breaks.



Uses



SAP

SAP		Presentation	PTU*
100275166	self-levelling spacers 5 mm	bag 100 u.	16,21
100275156	self-levelling spacers 5 mm	bag 300 u.	44,32
100275138	self-levelling spacers 5 mm	bag 500 u.	72,81

* Price list in points per bag. Taxes not included.

Self-levelling spacers

self-levelling spacers 2 mm


Crosses for the **butech** ceramic tile levelling system. Facilitates the laying of ceramic tiles and guarantees perfect flatness of the final covering.

Coverage: **According to format. See table on page 33**

Before using the system, carry out a test to check that the ceramic tile is not damaged when the crosspiece breaks.



Uses



SAP

SAP		Presentation	PTU*
100344039	self-levelling spacers 2 mm	bag 100 u.	16,21
100344038	self-levelling spacers 2 mm	bag 300 u.	44,32
100344037	self-levelling spacers 2 mm	bag 500 u.	72,80

* Price list in points per bag. Taxes not included.

Self-levelling spacers

self-levelling spacers 2 mm for 20 mm ceramic tiles

Crosses for the **butech** ceramic tile levelling system. Facilitates the laying of ceramic tiles and guarantees perfect flatness of the final covering.

Coverage: **According to format. See table on page 33**

Before using the system, carry out a test to check that the ceramic tile is not damaged when the crosspiece breaks.



Uses



SAP

SAP		Presentation	PTU*
100225039	self-levelling spacers 2 mm for 20 mm ceramic tiles	bag 100 u.	16,21

* Price list in points per bag. Taxes not included.

Self-levelling spacers

self-levelling spacers 3 mm


Crosses for the **butech** ceramic tile levelling system. Facilitates the laying of ceramic tiles and guarantees perfect flatness of the final covering.

Coverage: **According to format. See table on page 33**

Before using the system, carry out a test to check that the ceramic tile is not damaged when the crosspiece breaks.



Uses



SAP

SAP		Presentation	PTU*
100109070	self-levelling spacers 3 mm	bag 100 u.	16,21
100109071	self-levelling spacers 3 mm	bag 300 u.	44,32
100109072	self-levelling spacers 3 mm	bag 500 u.	72,80

* Price list in points per bag. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable

Levels of use ■ recommended ■ suitable ■ not suitable



Self-levelling spacers


self-levelling spacers 5 mm for 20 mm ceramic tiles

Crosses for the **butech** ceramic tile levelling system. Facilitates the laying of ceramic tiles and guarantees perfect flatness of the final covering.

Coverage: **According to format. See table on page 33**

Before using the system, carry out a test to check that the ceramic tile is not damaged when the crosspiece breaks.

Uses



SAP		Presentation	PTU*
100315637	self-levelling spacers 5 mm for 20 mm ceramic tiles	bag 100 u.	15,48
100315638	self-levelling spacers 5 mm for 20 mm ceramic tiles	bag 300 u.	43,75
100315639	self-levelling spacers 5 mm for 20 mm ceramic tiles	bag 500 u.	69,81

* Price list in points per bag. Taxes not included.



Self-levelling spacers


self-levelling wedges

Wedges for the **butech** ceramic tile levelling system. Facilitates the installation of ceramic tiles and guarantees perfect flatness of the final covering.

Coverage: **25% of the number of self-levelling spacers**

Before using the system, carry out a test to check that the ceramic tile is not damaged when the crosspiece breaks.

Uses



SAP		Presentation	PTU*
100108031	self-levelling wedge	bag 100 u.	23,20
100108032	self-levelling wedge	bag 300 u.	53,78
100095383	self-levelling wedge	bag 500 u.	102,19

* Price list in points per bag. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable

Self-levelling spacers

self-levelling spacer accessories



SAP		Presentation	PTU*
100123264	tile riser ≤ 6 mm	bag 50 u.	4,03
100095386	self-levelling pliers	1 u.	54,74

* Price list in points per bag or unit. Taxes not included.

Self-levelling spacers

self-levelling spacer kits

butech levelling system kit for ceramic tiles.


Coverage: **According to format. See table on page 33**

Includes: 100 self-levelling crosses, 100 wedges and 1 adjustment tool.

Before using the system, carry out a test to check that the ceramic tile is not damaged when the crosspiece breaks.



Uses



SAP		Presentation	PTU*
100213808	0,5 mm self-levelling spacer kit	kit 100 u.	86,68
100108034	1 mm self-levelling spacer kit	kit 100 u.	86,68
100350100	2 mm self-levelling spacer kit	kit 100 u.	86,68
100109074	3 mm self-levelling spacer kit	kit 100 u.	86,68
100275157	5 mm self-levelling spacer kit	kit 100 u.	86,68

* Price list in points per kit. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable

Primers for preparing surfaces

super-prim and uniprim are essential primers for preparing surfaces before laying coverings, ensuring optimal and long-lasting adhesion for quality results in your projects.



Check out our primers



Non-absorbent surfaces

super-prim

Water-based acrylic resin primer with siliceous aggregate filler for non-absorbent substrates, prior to the use of adhesives, self-levelling mortars and cement mortar screeds.



Coverage: 200-300 g/m²

Uses



SAP	Presentation	Europalet	PTU*
100123220 super-prim	bucket 10 kg	640 kg	10,96

* Price list in points per kg. Taxes not included.



Absorbent substrates

uniprim

Water-based synthetic resin primer for gypsum, anhydrite or plaster substrates, prior to the use of cement-based adhesives.



Coverage: 100-200 g/m²

Uses



SAP	Presentation	Europalet	PTU*
100004387 uniprim	bottle 20 kg	480 kg	6,31
100004384 uniprim	bottle 5 kg	560 kg	6,77

* Price list in points per kg. Taxes not included.


Levels of use ■ recommended ■ suitable ■ not suitable

Perfectly level surfaces on your projects

Our self-leveling mortars, such as the popular **level 1 pro** and **level 3**, offer professional, high-quality results. With their excellent fluidity and self-levelling properties, our mortars are easy to apply and provide a smooth, uniform finish.



Check out our self-leveling mortars



Without underfloor heating

level 1 pro

Fast-setting self-levelling mortar for levelling and smoothing substrates for all types of interior flooring. Application thickness: 2 mm-10 mm.




Compliant with European standard EN 13813
CT-C25-F7

Coverage: 1,4 kg/m² and mm

It is recommended to prime the substrate before application.

Uses



SAP	Presentation	Europalet	PTU*
100141151 level 1 pro	bag 25 kg	1000 kg	1,01

* Price list in points per kg. Taxes not included.



Underfloor heating

level 3

Fast-setting self-levelling mortar with fibres for levelling and smoothing substrates for all types of interior flooring. Application thickness: 3 mm-30 mm.




Compliant with European standard EN 13813
CT-C25-F5

Coverage: 1,4 kg/m² and mm

It is recommended to prime the substrate before application.

Uses



SAP	Presentation	Europalet	PTU*
100104577 level 3	bag 25 kg	1000 kg	1,57

* Price list in points per kg. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable

Cleaning products for ceramics

butech has a wide range of products for both cleaning during the installation of ceramic tiles and for their maintenance over time. Developed for the needs of Porcelanosa tiles, they easily remove all types of stains.



Check out our cleaning and protection products



Cleaning products

porce-clean

Neutral detergent for cleaning ceramic floors and natural stone. High degreasing power and fast drying. Indoor and outdoor use.



Coverage: 100-200 g/m²

Before using the product, read the instructions for use and test it to ensure that it does not damage the material to which it is applied.

Uses



SAP	Presentation	Box	PTU*
100120431 porce-clean	bottle 1 l	12 u.	11,44

* Price list in points per bottle. Taxes not included.



Cleaning products

acid net

Acid detergent for cleaning ceramic flooring and wall tiles. Dissolves all types of cement residue and colour-fast jointing materials.



Coverage: 90-100 g/m²

Before using the product, read the instructions for use and test it to ensure that it does not damage the material to which it is applied.


Uses



SAP	Presentation	Box	PTU*
100120423 acid net	bottle 1 l	12 u.	12,84

* Price list in points per bottle. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Cleaning products

basic gel

Concentrated alkaline detergent for cleaning ceramic tiles and natural stone. Removes all types of oils, varnishes, paints, waxes and household stains. Particularly effective for stripping surfaces.

Coverage: 85-100 g/m²

Before using the product, read the instructions for use and test it to ensure that it does not damage the material to which it is applied.

Uses



SAP	Presentation	Box	PTU*
100120425	basic gel	bottle 1 l	12 u.

* Price list in points per bottle. Taxes not included.



Cleaning products

epoxy cleaner

Detergent for cleaning epoxy putty residues and stains before they harden completely.



Coverage: According to format

Before using the product, read the instructions for use and test it to ensure that it does not damage the material to which it is applied.

Uses



SAP	Presentation	Box	PTU*
100120428	epoxy cleaner	bottle 500 ml	20 u.
100085287	epoxy sponge	1 u.	10,24

* Price list in points per bottle or unit. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Cleaning products

epoxy cleaning kit

Kit for cleaning epoxy joint residue before final hardening.

Includes: an epoxy rubber trowel, an epoxy sponge, a trowel for final cleaning + 3 scouring pads and a bottle of epoxy cleaner.



Coverage: According to format

Before using the product, read the instructions for use and test it to ensure that it does not damage the material to which it is applied.

Uses



SAP	Presentation	PTU*
100113684	epoxy cleaning kit	kit 1 u.

* Price list in points per kit. Taxes not included.



Cleaning products

non slip tile

Anti-slip treatment for glazed and unglazed ceramic tiles that reduces the risk of falls due to slipping. For indoor and outdoor use.

Coverage: 200 g/m²

Before using the product, read the instructions for use and test it to ensure that it does not damage the material to which it is applied.

Uses



SAP	Presentation	Box	PTU*
100120430	non slip tile	bottle 500 ml	20 u.

* Price list in points per bottle. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Solutions for waterproofing your home

butech has designed a series of waterproofing solutions that increase the safety of domestic spaces, terraces and even swimming pools. Especially if they are built with ceramic tiles, for which we recommend the use of **sylastic premium**. This single-component mortar, applied in two layers, prevents the passage of water.



Check out our waterproofing solutions



Indoor waterproofing imperbox



Ready-to-use waterproofing paste compatible with cementitious adhesives. For indoor use.

Coverage: 3,6 kg/m²

Does not include angles and waterproof sheets for joints.

For professional use. Before installation, consult the technical data sheets and installation video.

Uses



SAP	Presentation	Europalet	PTU*
100006223 imperbox	bucket 10 kg	450 kg	8,49

* Price list in points per kg. Taxes not included.




Indoor waterproofing imperband eco



Waterproof sheet made from 70% recycled material compatible with cementitious adhesives. For indoor use.

For professional use. Before installation, consult the technical data sheets and installation video.

Uses



SAP	Presentation	Europalet	PTU*
100337121 imperband eco	roll 5 m ²	480 m ²	17,08
100337140 imperband eco	roll 30 m ²	720 m ²	16,91

* Price list in points per m². Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable

Indoor waterproofing imperbox accessories

Special components for waterproofing joints, corners, and changes of plane.

Recommended for waterproofing with imperbox or sylastic premium.



waterproof external corner



waterproof internal corner



waterproofing tape

Uses



SAP	Presentation	PTU*
100006210 waterproof external corner	1 u.	8,95
100006211 waterproof internal corner	1 u.	8,95
100081531 waterproofing tape	roll 10 m	4,79
100006221 waterproofing tape	roll 50 m	4,60

* Price list in points per unit or meter. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Outdoor waterproofing

sylastic accessories

Fiberglass mesh to reinforce **sylastic premium** and special components for waterproofing joints, corners, and changes of plane.

Recommended for waterproofing with **imperbox** or **sylastic premium**.



waterproof external corner



waterproof internal corner



waterproofing tape



fiberglass mesh

Uses



SAP

SAP		Presentation	PTU*
100006210	waterproof external corner	1 u.	8,95
100006211	waterproof internal corner	1 u.	8,95
100081531	waterproofing tape	roll 10 m	4,79
100006221	waterproofing tape	roll 50 m	4,60
100288372	fiberglass mesh	roll 50 m ²	137,04

* Price list in points per unit or meter. Taxes not included.



Outdoor waterproofing

sylastic

Single-component mortar waterproof to both positive and negative pressures, compatible with cementitious adhesives. Indoor and outdoor use.

Does not include mesh, angles and waterproof sheets for joints.



Coverage: 3 kg/m²

Uses



SAP		Presentation	Europalet	PTU*
100316193	sylastic premium	bag 15 kg	630 kg	5,11

* Price list in points per kg. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Outdoor waterproofing

square grate and drain

Drain for terraces with vertical outlet.

Includes siphon drain and 10 x 10 cm square stainless steel grate. Waterproofing membrane not included.

For professional use. Consult the technical data sheet before installation.

Uses



SAP		Presentation	PTU*
100005827	terrace drain	1 u.	107,34
100005829	terrace drain flange	1 u.	97,59

* Price list in points per u. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Decoupling exterior flooring

lamitech n

Multi-layer polymer sheet for waterproofing and decoupling exterior flooring. Protects tiles against stress from the substrate, reducing the risk of breakage and lifting. For exterior use.



For professional use. Before installation, consult the technical data sheets and installation video.

Uses



SAP	Presentation	Europalet	PTU*
100286750 lamitech n	roll 5 m ²	150 m ²	17,99

* Price list in points per m². Taxes not included.



Decoupling interior flooring

anti-cracking mat

Desolidarising sheet for floors subject to low and medium movement. Interior use.



For professional use. Before installation, consult the technical data sheets and installation video.

Uses



SAP	Presentation	Europalet	PTU*
100227223 anti-cracking mat	roll 15 m ²	450 m ²	11,24

* Price list in points per m². Taxes not included.

Levels of use ■ recommended ■ suitable □ not suitable



Decoupling exterior flooring

lami-band eco

Waterproof membrane for joints between substrate and membrane and between lamitech n membranes.



Coverage: 1 u. / 2 rolls of lamitech n

For professional use. Before installation, consult the technical data sheets and installation video.

Uses



SAP	Presentation	PTU*
100369581 lami-band eco	roll 30 m	136,89

* Price list in points per meter. Taxes not included.

Levels of use ■ recommended ■ suitable □ not suitable



Pool drainage

pool-deck

Uses

Exterior floor



Pool




Drainage system for swimming pools and terraces with ceramic top coating. This is a new water collection channel system designed to receive ceramic tiles and allow water to drain through the joints between the tiles. Compatible with any outdoor waterproofing system, it replaces the traditional metal or plastic grates that have such a significant impact on the design of outdoor flooring.

For professional use. Before installation, consult the technical data sheets and installation video.




Check the study sheet

System components



pool-deck channel.
95 cm long channel with internal V slope. Includes: heat-sealed **imperband eco** waterproofing sheet on the eaves of the channel.



pool-deck adjustment channel.
Adjusting piece of different lengths with internal V slope. Includes: heat-sealed **imperband eco** waterproofing sheet on the eaves of the channel.



pool-deck drain.
Drain piece with internal V slope. Includes: heat-sealed **imperband eco** waterproofing sheet on the eaves of the channel.



pool-deck corner.
Corner piece with internal V slope. Includes: heat-sealed **imperband eco** waterproofing sheet on the eaves of the channel.



pool-deck corner drain.
Corner drain piece with internal V slope. Includes: heat-sealed **imperband eco** waterproofing sheet on the eaves of the channel.



pool-deck side.
Channel start / end piece. Includes: heat-sealed **imperband eco** waterproofing sheet on the eaves of the channel.

SAP		Dimensions	Presentation	PTU*
100284673	pool-deck channel	23,9 x 5,5 x 950 mm	1 u.	144,30
100284644	pool-deck adjustment channel	23,9 x 5,5 x 150 mm	1 u.	88,77
100284664	pool-deck adjustment channel	23,9 x 5,5 x 250 mm	1 u.	96,86
100284674	pool-deck adjustment channel	23,9 x 5,5 x 350 mm	1 u.	104,04
100284675	pool-deck adjustment channel	23,9 x 5,5 x 450 mm	1 u.	111,87
100284646	pool-deck adjustment channel	23,9 x 5,5 x 550 mm	1 u.	119,71
100284653	pool-deck adjustment channel	23,9 x 5,5 x 650 mm	1 u.	127,17
100284676	pool-deck adjustment channel	23,9 x 5,5 x 750 mm	1 u.	134,95
100284638	pool-deck adjustment channel	23,9 x 5,5 x 850 mm	1 u.	142,44
100284637	pool-deck drain	23,9 x 5,5 x 239 mm	1 u.	101,80
100284663	pool-deck corner	23,9 x 5,5 x 239 mm	1 u.	95,46
100284670	pool-deck exterior corner drain	23,9 x 5,5 x 239 mm	1 u.	105,90
100320040	pool-deck interior corner drain	23,9 x 5,5 x 239 mm	1 u.	105,90
100289037	pool deck side female	23,9 x 5,5 x 8 mm	1 u.	95,46
100284654	pool deck side male	23,9 x 5,5 x 8 mm	1 u.	95,46

* Price list in points per piece. Taxes not included.

Design in built-in showers

Built-in showers are one of the main trends in bathrooms. Their integration into the floor, accessibility and safety are a perfect combination of design and practicality.

butech presents new technical solutions for designs, while maintaining waterproofing and drainage functions.



Check out our built-in shower solutions





Uses

Shower area



Drainage through the shower tray

shower deck n

New shower tray concept with concealed drain for the most exclusive bathrooms. This innovative shower tray system lets us create a sense of continuity with the rest of the bathroom floor because the slopes are concealed under the floor. Drainage is achieved through the open joints and does not require the installation of an evacuation grate.

Specially recommended for bathroom renovations.



Completely flat shower trays with concealed drainage through the open joints between the floor tiles, suitable for porcelain stoneware tiles only 6 mm thick.

For professional use. Before installation, consult the technical data sheets and installation video.

Includes shower tray, drain. Joining and levelling profiles, p-404 cartridge, roll of lamiband 200 (5 m), roll of imperband eco (5 m²) and stopcock.



Check the study sheet

SAP		Dimensions	Presentation	PTU*
100349341	customised shower deck	According to plan	1 u.	According to the project
100350281	shower deck n	700 x 85 x 700 mm	1 u.	732,27
100350335	shower deck n	800 x 85 x 800 mm	1 u.	817,99
100350336	shower deck n	800 x 85 x 938 mm	1 u.	884,94
100350337	shower deck n	900 x 85 x 938 mm	1 u.	929,38
100350338	shower deck n	938 x 85 x 1216 mm	1 u.	1084,46

* Price list in points per u. Taxes not included.

Drainage through the wall/floor joint

shower line n

Uses


Shower area



Waterproofing and drainage system for custom-built shower trays with wall drainage, where water is evacuated through the open joint between the floor and ceramic wall covering. This system is characterized by concealing the shower drainage system to the maximum, while ensuring perfect waterproofing of walls and floors without interrupting the visual continuity of the ceramic covering.

Designed for bathrooms with dry walls, it can also be installed on brick partition walls.

Shower tray waterproofing not included.



1. Decorative ceramic-coated grate attached to the drainage chamber with magnets.
2. Siphon drain, convertible to non-siphon.
3. Built-in drainage chamber.
4. **imperband eco** sheet heat-sealed to the built-in drainage chamber.

Waterproofing and drainage system for built-in shower trays with wall drainage.

For professional use. Before installation, consult the technical data sheets and installation video.

Includes drainage chamber plus waterproof perimeter sheet, siphon drain and decorative grate.

SAP		Dimensions	Presentation	PTU*
100383521	shower line n	430 x 220 x 55 mm	1 u.	428,81
100383522	shower line n	630 x 220 x 55 mm	1 u.	451,38
100383524	shower line n	1000 x 220 x 55 mm	1 u.	564,22

* Price list in points per u. Taxes not included.





Linear grate + drain

linear eco grate kit

Uses

Shower area




Kit for waterproofing built-in shower trays with linear steel grating.

Includes stainless steel grate, supports and channel, siphon drain plus perimeter waterproofing, adapter, 50/40 reducer and protective covers.

For professional use. Before installation, consult the technical data sheets and installation video.

1. Siphon drain.
2. Waterproof ring for sealing the joint between the drain, grate and ceramic covering of the shower tray. Dimensions 25 cm x 25 cm.
3. Protective cover.
4. Grate supports.
5. Adapter.
6. 50/40 reducer.
7. Stainless steel channel.
8. Filter.
9. Decorative linear grate.



SAP	linear eco grate kit	Dimensions	Presentation	PTU*
10033857	texture / coverable	61 x 77 x 600 mm	1 u.	344,40
10033858	texture / coverable	61 x 77 x 800 mm	1 u.	451,00
10033806	texture / coverable	61 x 77 x 1200 mm	1 u.	635,50
10033807	texture / coverable	61 x 77 x 1500 mm	1 u.	789,25
10033778	texture / coverable	61 x 77 x 1800 mm	1 u.	902,00

* Price list in points per u. Taxes not included.

SAP	linear eco grate kit	Dimensions	Presentation	PTU*
100338185	black	61 x 77 x 600 mm	1 u.	526,85
100338221	black	61 x 77 x 800 mm	1 u.	610,83
100338188	black	61 x 77 x 1200 mm	1 u.	778,77

* Price list in points per u. Taxes not included.

SAP	linear eco grate kit	Dimensions	Presentation	PTU*
100338199	chrome	61 x 77 x 600 mm	1 u.	288,30
100338220	chrome	61 x 77 x 800 mm	1 u.	372,28
100338224	chrome	61 x 77 x 1200 mm	1 u.	540,23

* Price list in points per u. Taxes not included.

SAP	linear eco grate kit	Dimensions	Presentation	PTU*
100338186	square	61 x 77 x 600 mm	1 u.	288,30
100338223	square	61 x 77 x 800 mm	1 u.	372,28
100338189	square	61 x 77 x 1200 mm	1 u.	540,23

* Price list in points per u. Taxes not included.

SAP	linear eco grate kit	Dimensions	Presentation	PTU*
100338184	line n	61 x 77 x 600 mm	1 u.	288,30
100338214	line n	61 x 77 x 800 mm	1 u.	372,28
100338216	line n	61 x 77 x 1200 mm	1 u.	540,23

* Price list in points per u. Taxes not included.

Uses

Shower area




Profiles for shower trays

pro-shower floor

Stainless steel profile for the lateral finish of built-in shower trays with the bathroom floor.

Depending on the shower tray, choose one profile for the right side and another for the left side.

Recommended for built-in shower trays with one slope.



SAP	pro-shower floor	h2 x h1 x length	Presentation	PTU*
100350798	black left side	32 x 12,5 x 980 mm	1 u.	96,56
100350799	black right side	32 x 12,5 x 980 mm	1 u.	96,56
100350796	black left side	32 x 12,5 x 1480 mm	1 u.	150,24
100350797	black right side	32 x 12,5 x 1480 mm	1 u.	150,24
100159068	chrome left side	24 x 12,5 x 980 mm	1 u.	97,41
100160219	chrome right side	24 x 12,5 x 980 mm	1 u.	97,41
100159069	chrome left side	32 x 12,5 x 1480 mm	1 u.	153,82
100160280	chrome right side	32 x 12,5 x 1480 mm	1 u.	153,82
100159067	brushed left side	32 x 12,5 x 1480 mm	1 u.	128,04
100160218	brushed right side	32 x 12,5 x 1480 mm	1 u.	128,04

* Price list in points per piece. Taxes not included.

Right and left are determined from the perspective of someone standing inside the tray, looking towards the drain grate.


Profiles for shower trays

pro-shower wall

Stainless steel profile for the lateral finish of built-in shower trays with the bathroom wall.

Depending on the shower tray, choose one profile for the right side and another for the left side.

Recommended for built-in shower trays with one slope.



SAP	pro-shower wall	h2 x h1 x length	Presentation	PTU*
100159100	chrome left side	32 x 12,5 x 1480 mm	1 u.	153,82
100160248	chrome right side	32 x 12,5 x 1480 mm	1 u.	153,82
100159088	brushed left side	32 x 12,5 x 1480 mm	1 u.	128,04
100160246	brushed right side	32 x 12,5 x 1480 mm	1 u.	128,04
100350800	black left side	32 x 12,5 x 1480 mm	1 u.	150,24
100350801	black right side	32 x 12,5 x 1480 mm	1 u.	150,24

* Price list in points per piece. Taxes not included.

Right and left are determined from the perspective of someone standing inside the tray, looking towards the drain grate.

Uses

Shower area



Profiles for shower trays

pro-shower deco

Finishing profile for sides of built-in shower trays in stainless steel.

Recommended for built-in shower trays with one slope.



SAP	pro-shower deco	Dimensions	Presentation	PTU*
100350836	black	2 x 24 x 1250 mm	1 u.	65,64
100350837	black	2 x 32 x 1250 mm	1 u.	70,73
100350838	black	2 x 40 x 1250 mm	1 u.	75,85

* Price list in points per piece. Taxes not included.



Uses



Linear grate

linear grate

AISI304 stainless steel grate for built-in shower trays, compatible with all **imperband eco kits**.

Includes channel and grate. Does not include waterproofing system.

For professional use. Before installation, consult the technical data sheets and installation video.

SAP	linear grate	Dimensions	Presentation	PTU*
100148593	coverable	93 x 47 x 596 mm	1 u.	351,56
100148595	coverable	93 x 47 x 800 mm	1 u.	468,16
100148594	coverable	93 x 47 x 1200 mm	1 u.	634,90

* Price list in points per u. Taxes not included.

SAP	linear grate	Dimensions	Presentation	PTU*
100278946	black	93 x 53 x 596 mm	1 u.	591,06

* Price list in points per u. Taxes not included.

SAP	linear grate	Dimensions	Presentation	PTU*
100103365	chrome	93 x 53 x 596 mm	1 u.	347,19
100103366	chrome	93 x 53 x 800 mm	1 u.	455,36
100103364	chrome	93 x 53 x 1200 mm	1 u.	650,38

* Price list in points per u. Taxes not included.

SAP	linear grate	Dimensions	Presentation	PTU*
100103368	texture	93 x 53 x 596 mm	1 u.	330,87
100103369	texture	93 x 53 x 800 mm	1 u.	451,12
100103367	texture	93 x 53 x 1200 mm	1 u.	624,40

* Price list in points per u. Taxes not included.

SAP	linear grate	Dimensions	Presentation	PTU*
100103371	squared	93 x 53 x 596 mm	1 u.	312,83
100103372	squared	93 x 53 x 800 mm	1 u.	415,60
100103370	squared	93 x 53 x 1200 mm	1 u.	567,93

* Price list in points per u. Taxes not included.

SAP	linear grate	Dimensions	Presentation	PTU*
100103374	line	93 x 53 x 596 mm	1 u.	306,92
100103375	line	93 x 53 x 800 mm	1 u.	415,60
100103373	line	93 x 53 x 1200 mm	1 u.	567,93

* Price list in points per u. Taxes not included.

Uses



Square grate

square grate

Square grate for built-in shower trays compatible with all **imperband eco kits**. Available in different finishes.

Includes channel and grate. Does not include waterproofing system.

For professional use. Before installation, consult the technical data sheets and installation video.



SAP	square grate	Dimensions	Presentation	PTU*
100369553	gold brushed	96 x 49 x 96 mm	1 u.	283,24
100369827	copper brushed	96 x 49 x 96 mm	1 u.	283,24
100369826	titanium brushed	96 x 49 x 96 mm	1 u.	283,24

* Price list in points per u. Taxes not included.

SAP	square grate	Dimensions	Presentation	PTU*
100366051	black	96 x 49 x 96 mm	1 u.	175,07
100344172	texture / coverable	96 x 49 x 96 mm	1 u.	136,55

* Price list in points per u. Taxes not included.

SAP	square grate	Dimensions	Presentation	PTU*
100148572	standard	107 x 35 x 107 mm	1 u.	45,33
100293010	chrome	107 x 35 x 107 mm	1 u.	53,22

* Price list in points per u. Taxes not included.

Uses

Shower area



Waterproofing and drain for grates

imperband eco thin kit

Compact waterproofing system for built-in shower trays. Only 75 mm is needed to install the drain and waterproofing.

Includes siphon drain plus waterproof sheet. Does not include channel and grate.

For professional use. Before installation, consult the technical data sheets and installation video.

SAP		Dimensions	Presentation	PTU*
100365410	imperband eco thin kit	1500 x 65 x 2250 mm	1 u.	139,77

* Price list in points per u. Taxes not included.

Waterproofing and drain for grates

imperband eco standard kit

Waterproofing system for built-in shower trays. Requires 100 mm to install the drain and waterproofing.

Includes thermowelded siphon drain to waterproof sheet. Does not include channel and grate.

For professional use. Before installation, consult the technical data sheets and installation video.

SAP		Dimensions	Presentation	PTU*
100365420	imperband eco standard kit	1500 x 82 x 2250 mm	1 u.	111,36

* Price list in points per u. Taxes not included.

Square grate + drain

bathroom drain

Drain for built-in shower trays with horizontal outlet.

Includes siphon drain and 10 x 10 cm square stainless steel grate. Waterproofing membrane not included.

For professional use. Consult the technical data sheet before installation.

SAP	bathroom drain	Dimensions	Presentation	PTU*
100005822	horizontal	220 x 75 mm	1 u.	56,86
100005823	vertical	265 x 140 mm	1 u.	60,81
100005825	bathroom drain flange		1 u.	31,21

* Price list in points per u. Taxes not included.

Uses

Shower area



horizontal bathroom drain



vertical bathroom drain



concept XPS shower trays

Uses




It is a prefabricated system for creating built in shower trays. They include the slopes for the correct water drainage, as well as the drain and the waterproofing system. This system is supplied ready to use, which reduces working times while guarantees a perfect substrate for laying mosaic, natural stone or ceramics.



Check the study sheet

concept XPS shower tray is light, resistant and safe, reason why it is specially recommended in bathroom refurbishing jobs. It includes **imperband eco kit** as a drain, but it does not include the decorative grating, so you can choose among a wide range of sizes, shapes and finishes on pages 68–69.



- 1. concept XPS shower tray.
- 2. kit imperband eco.
- 3. Decorative grate (not include).

Prefabricated shower tray ready for tiling. Made to measure, includes slopes and siphon drain, with a choice between the **imperband eco** system (75 mm) and standard system (100 mm).

For professional use. Before installation, consult the technical data sheets and installation video.

SAP	Dimensions	Presentation	PTU*
100350258	customised concept XPS tray	According to plan 1 u.	According to the project



Decorative profiles

butech offers a wide variety of decorative profiles that add a distinctive and elegant touch to your ceramic tile installation projects. With collections such as Aluminium, Chrome, Gold, Metal and Texture, **butech** offers versatile options to suit different styles and preferences.




Check out our range of decorative profiles

Decorative profiles

living collection

High-end decorative profile for wall tiles.

Uses



pro-living wall
Stainless steel. - Especially recommended for rectified tiles.

pro-living wall. High-end decorative profile for ceramic tiles.

SAP	pro-living wall	h (mm)	PTU*
100357647	gold	7	110,37
100357650	gold	12,5	119,89
100357651	black	7	113,96
100357652	black	12,5	118,45

* Price list in points per piece. Taxes not included.
2700 mm long profile



pro-living corner
Stainless steel. - Especially recommended for rectified tiles.

pro-living corner. High-end decorative profile for ceramic corners.

SAP	pro-living corner	h (mm)	PTU*
100357653	gold	7	50,25
100357476	gold	12,5	51,15
100357654	black	7	53,84
100357477	black	12,5	54,73

* Price list in points per piece. Taxes not included.
2700 mm long profile

Finishes



Levels of use recommended suitable not suitable




pro-living wall gold

Decorative profiles

gold collection

High-end decorative profile for wall tiles, 24k Gold plated.

Uses




pro-part
Brass. · Especially recommended for rectified tiles.

pro-part. 8 mm wide straight finishing profile for ceramic tiles.

SAP	pro-part	h (mm)	PTU*
100246452	gold	7	186,52
100331779	gold	9	234,20
100100724	gold	11	224,47
100100725	gold	12,5	247,11
100339564	gold line	11	235,29

* Price list in points per piece. Taxes not included.
2500 mm long profile




pro-part Li
Brass. · Especially recommended for rectified tiles.

pro-part Li. Square finishing profile for ceramic tiles.

SAP	pro-part li	h (mm)	PTU*
100100726	gold	11	218,40
100100762	gold	12,5	257,06

* Price list in points per piece. Taxes not included.
2500 mm long profile



pro-mate 5
Brass. · Especially recommended for rectified tiles.

pro-mate 5. 5 mm wide straight finishing profile for ceramic tiles.

SAP	pro-mate 5	h (mm)	PTU*
100100721	gold	11	209,16
100100722	gold	12,5	191,09

* Price list in points per piece. Taxes not included.
2500 mm long profile

Finishes



Levels of use ■ recommended ■ suitable ■ not suitable




pro-part Li gold line

Decorative profiles

metal collection

Metallic finish decorative profiles for ceramic wall tiles.

Uses



pro-part

Brass. · Especially recommended for rectified tiles.

pro-part. 8 mm wide straight finishing profile for ceramic tiles.

SAP	pro-part	h (mm)	PTU*
100189093	old iron	11	152,88
100278752	old bronze	7	160,65
100189092	old bronze	11	147,13
100243964	old bronze	12,5	164,53
100177056	moon	7	140,87
100332424	moon	9	136,84
100120369	moon	11	139,75
100177071	moon	12,5	139,75
100177037	graphite matt	7	152,44
100332398	graphite matt	9	148,40
100158266	graphite matt	11	151,32
100177053	graphite matt	12,5	151,32
100177049	graphite	7	152,44
100332386	graphite	9	148,40
100120366	graphite	11	151,32
100177035	graphite	12,5	151,32
100315557	anthracite	11	85,76

* Price list in points per piece. Taxes not included.
2500 mm long profile

SAP	pro-part line	h (mm)	PTU*
100177063	moon line	7	140,87
100332740	moon line	9	136,84
100158267	moon line	11	139,75
100177080	moon line	12,5	139,75
100177055	graphite matt line	11	152,44
100332417	graphite matt line	7	148,40
100158265	graphite matt line	9	151,32
100177036	graphite matt line	12,5	151,32

* Price list in points per piece. Taxes not included.
2500 mm long profile

Finishes



Levels of use ■ recommended ■ suitable ■ not suitable




pro-part old iron

Decorative profiles

texture collection


Decorative profiles in textured finishes for wall tiles.

Uses



pro-mate 5

Brass. · Especially recommended for rectified tiles.



pro-part

Brass. · Especially recommended for rectified tiles.

pro-mate 5. 5 mm wide straight finishing profile for ceramic tiles.

SAP	pro-mate 5	h (mm)	PTU*
100365550	coal	12,5	89,67


* Price list in points per piece. Taxes not included.
2500 mm long profile

pro-part. 8 mm wide straight finishing profile for ceramic tiles.

SAP	pro-part	h (mm)	PTU*
100367299	caliza	9	101,06
100366191	caliza	11	102,82
100367379	caliza	12,5	104,66
100326531	sand	9	101,06
100226152	sand	11	102,82
100365069	sand	12,5	104,66
100326509	cast copper	9	101,06
100223015	cast copper	11	102,82
100326530	cement	9	101,06
100226161	cement	11	102,82
100285068	cast iron	7	82,16
100326516	cast iron	9	101,06
100222994	cast iron	11	102,82
100278717	cast iron	12,5	104,66
100278697	coal	7	99,43
100326478	coal	9	101,06
100269081	coal	11	102,82
100278751	coal	12,5	104,66
100278708	bone	7	90,38
100269007	bone	11	93,47
100278730	bone	12,5	95,14

* Price list in points per piece. Taxes not included.
2500 mm long profile

Finishes



Levels of use ■ recommended ■ suitable ■ not suitable




pro-part coal

Decorative profiles

chrome collection

Chromed brass decorative profile for wall tiles. Suitable for trimming corners and transitions between ceramic tiles.

Uses



pro-part

Brass · Especially recommended for rectified tiles.

pro-part. 8 mm wide straight finishing profile for ceramic tiles.


SAP	pro-part	h (mm)	length (mm)	PTU*
100005368	chrome	7	2500	90,17
100005373	chrome corner	7	8	32,77
100177061	chrome line	7	2500	138,00
100177062	chrome line matt	7	2500	136,62
100005369	chrome	9	2500	93,71
100005374	chrome corner	9	8	32,77
100088905	chrome	10	2500	104,71
100091065	chrome corner	10	8	31,88
100005370	chrome	11	2500	107,00
100286618	chrome	11	3000	131,92
100005375	chrome corner	11	8	32,77
100120367	chrome line	11	2500	147,48
100157798	chrome line matt	11	2500	147,48
100005371	chrome	12,5	2500	110,42
100286360	chrome	12,5	3000	132,49
100005376	chrome corner	12,5	8	32,77
100177058	chrome line	12,5	2500	151,90
100177059	chrome line matt	12,5	2500	114,44

* Price list in points per piece. Taxes not included.

pro-part Li. Square finishing profile for ceramic tiles.

SAP	pro-part li	h (mm)	length (mm)	PTU*
100126780	chrome	4,5	2500	122,85
100070170	chrome	11	2500	118,01
100098464	chrome corner	11	12	31,69
100070171	chrome	12,5	2500	124,28
100085153	chrome corner	12,5	13,5	37,80


* Price list in points per piece. Taxes not included.



pro-part Li

Brass · Especially recommended for rectified tiles.

Levels of use ■ recommended ■ suitable □ not suitable




pro-mate 5

Brass · Especially recommended for rectified tiles.

pro-mate 5. 5 mm wide straight finishing profile for ceramic tiles.

SAP	pro-mate 5	h (mm)	length (mm)	PTU*
100126779	chrome	7	2500	112,31
100004945	chrome	9	2500	92,43
100004946	chrome	11	2500	95,81
100286603	chrome	11	3000	114,96
100004955	chrome	12,5	2500	99,18

* Price list in points per piece. Taxes not included.




pro-mate 3

Brass · Especially recommended for rectified tiles.

pro-mate 3. 3 mm wide straight finishing profile for ceramic tiles.

SAP	pro-mate 3	h (mm)	length (mm)	PTU*
100126772	chrome	6	2500	80,03
100004951	chrome	8	2500	93,00
100004952	chrome	9	2500	81,38
100004953	chrome	10	2500	82,37
100004954	chrome	12,5	2500	84,37
100286309	chrome	12,5	3000	101,24

* Price list in points per piece. Taxes not included.




pro-mate 45

Brass · Especially recommended for rectified tiles.

pro-mate 45. Rounded finishing profile for ceramic tiles.

SAP	pro-mate 45	h (mm)	length (mm)	PTU*
100126776	chrome	6	2500	92,90
100099963	chrome	10	2500	104,83
100099964	chrome	12,5	2500	112,05

* Price list in points per piece. Taxes not included.



pro-mate 45 Top

Brass · Especially recommended for rectified tiles.

pro-mate 45 Top. Chamfered finishing profile for ceramic tiles.

SAP	pro-mate 45 top	h (mm)	length (mm)	PTU*
100126778	chrome	6	2500	90,56
100099965	chrome	10	2500	90,30
100128801	chrome	12,5	2500	102,01

* Price list in points per piece. Taxes not included.

Levels of use ■ recommended ■ suitable □ not suitable



Decorative profiles

pro-telo collection

Metal decorative profile for ceramic wall tiles. Flangeless metallic line for tiles of any thickness. Available in a wide variety of materials, finishes and dimensions.

**pro-telo**

Aluminium. · Especially recommended for rectified tiles.

pro-telo. Profile for joints between ceramic tiles without installation tab.

Uses

SAP	pro-telo	h (mm)	PTU*
100365272	coal texture	5	21,55

* Price list in points per piece. Taxes not included.
2700 mm long profile

**pro-telo aluminium**

Aluminium. · Especially recommended for non-rectified tiles.

pro-telo. Curved profile for coverings without installation tab.

Uses

SAP	pro-telo aluminium	h (mm)	PTU*
100005289	silver gloss	10	34,41


* Price list in points per piece. Taxes not included.
2500 mm long profile

**pro-telo recto aluminium**

Aluminium. · Especially recommended for rectified tiles.

SAP	pro-telo recto aluminium	h (mm)	PTU*
100084015	silver gloss	10	25,16

* Price list in points per piece. Taxes not included.
2500 mm long profile

**pro-telo stainless steel**

Stainless steel. · Especially recommended for non-rectified tiles.

pro-telo. Curved profile for coverings without installation tab.

Uses

SAP	pro-telo stainless steel	h (mm)	PTU*
100005293	stainless steel gloss	25	49,04
100005299	stainless steel gloss	40	92,27

* Price list in points per piece. Taxes not included.
2500 mm long profile

Levels of use ■ recommended ■ suitable ■ not suitable

LED profiles

butech offers an innovative range of decorative profiles with LED lighting that add a touch of ambient lighting and sophistication to your ceramic tile installation projects. With the **pro-corner**, **pro-light**, **pro-mate 45 top light**, **pro-skirting**, **pro-telo** and **LED strip lines**, **butech** provides versatile and aesthetically appealing solutions.


With **butech's** LED profiles, you can combine design and functionality, creating unique and striking environments in your ceramic tile installation projects.



Check out our range of LED profiles



Uses




Finishes

Silver

Black

Uses



Finishes

Silver

Black

Profiles for large format tiles

pro-light 7.5

LED profile with tabs for ceramic tiles.

Includes profile, diffuser, covers and clips.

Lighting system not included.

SAP	pro-light 7,5 mm	Dimensions	PTU*
100243677	silver	21 x 7,5 x 2500 mm	92,43
100243703	black	21 x 7,5 x 2500 mm	92,43

* Price list in points per piece. Taxes not included.

Profiles for ceramic tiles

pro-light 11

LED profile with tabs for ceramic flooring and wall tiles.

Includes profile, diffuser and covers.

Lighting system not included.

SAP	pro-light 11 mm	Dimensions	PTU*
100202237	silver	27 x 11 x 2500 mm	81,58
100369885	black	27 x 11 x 2500 mm	108,45

* Price list in points per piece. Taxes not included.

Profiles for large format tiles


pro-telo light slim

LED profile without tabs for 6 mm thick tiles.

Includes profile, diffuser, covers and clips.

Lighting system not included.

Uses



SAP	pro-telo light slim	Dimensions	PTU*
100328096	silver	16 x 5,5 x 2500 mm	56,55
100328075	black	16 x 5,5 x 2500 mm	70,86

* Price list in points per piece. Taxes not included.

Finishes

Silver

Black

Profiles for ceramic tiles


pro-telo light

LED profile without tabs for interior corners.

Includes profile, diffuser and covers.

Lighting system not included.

Uses



SAP	pro-telo light	Dimensions	PTU*
100281600	silver	15 x 12 x 3000 mm	75,61
100281601	black	15 x 12 x 3000 mm	84,55

* Price list in points per piece. Taxes not included.

Finishes

Silver

Black

Profiles for ceramic tiles


pro-corner light

LED profile without tabs for corners.

Includes profile, diffuser, covers and clips.

Lighting system not included.

Uses



SAP	pro-corner light	Dimensions	PTU*
100243678	silver	16 x 16 x 2500 mm	92,43

* Price list in points per piece. Taxes not included.

Finishes

Silver

Profiles for ceramic tiles


pro-mate 45 top light

LED profile without tabs for internal corners.

Includes profile, diffuser, covers and clips.

Lighting system not included.

Uses



SAP	pro-mate 45 top light	Dimensions	PTU*
100243649	silver	22,5 x 22,5 x 2500 mm	106,49


* Price list in points per piece. Taxes not included.

Finishes

Silver



Uses



Finishes

Silver

White

Black

Profiles for skirting boards

pro-skirting LED

LED skirting board for flooring.

Diffuser, clips and lighting system not included. Covers are supplied separately.

SAP	pro-skirting LED	Dimensions	PTU*
100200403	silver	13 x 60 x 2500 mm	34,69
100200418	white	13 x 60 x 2500 mm	32,74
100200414	black	13 x 60 x 2500 mm	34,69

* Price list in points per piece. Taxes not included.

Profiles for skirting boards

pro-skirting LED accessories

SAP		Dimensions	PTU*
100213220	pro-skirting LED cover white 60 mm	13 x 60 x 5 mm	12,69
100213201	pro-skirting LED cover black 60 mm	13 x 60 x 5 mm	12,69
100193608	pro-skirting anchor		16,20
100232655	pro-skirting LED diffuser	30 x 17 x 2500 mm	16,93

* Price list in points per piece except for pro-skirting anchor, which is priced in points per bag of 50 u. Taxes not included.



Lighting systems

5 mm COB LED strip

COB LED strip for continuous lighting without visible dots.

The light output of these COB LED strips may vary slightly from one to another.

SAP	5 mm COB LED strip	Dimensions	PTU*
100353220	10W IP20 2700K	5 x 2 x 2500 mm	79,23
100353222	10W IP20 4000K	5 x 2 x 2500 mm	79,23
100353223	10W IP20 6500K	5 x 2 x 2500 mm	79,23

* Price list in points per strip. Taxes not included.

Lighting systems

10 mm COB LED strip

COB LED strip for continuous lighting without visible dots.

The light output of these COB LED strips may vary slightly from one to another.

SAP	10 mm COB LED strip	Dimensions	PTU*
100298585	15W IP20 2700K	10 x 2 x 2500 mm	89,81
100298526	15W IP20 4000K	10 x 2 x 2500 mm	89,81
100298597	15W IP20 6500K	10 x 2 x 2500 mm	89,81

* Price list in points per strip. Taxes not included.

Lighting systems

12 mm COB LED strip

COB LED strip for continuous lighting without visible dots.

The light output of these COB LED strips may vary slightly from one to another.

SAP	12 mm COB LED strip	Dimensions	PTU*
100298620	15W IP67 2700K	11,6 x 4,6 x 2500 mm	115,81
100298587	15W IP67 4000K	11,6 x 4,6 x 2500 mm	115,81
100298621	15W IP67 6500K	11,6 x 4,6 x 2500 mm	115,81

* Price list in points per strip. Taxes not included.



Lighting systems

pro-light 100W 24V transformer

Transformer for up to 5 m of LED lighting.



SAP	Dimensions	PTU*
100200310	pro-light 100W 24V transformer 190 x 52 x 39 mm	101,92

* Price list in points per piece. Taxes not included.



Check out our range of technical profiles

Technical profiles

butech's technical profiles are specially designed for ceramic tiles and solutions for movement joints, transitions, level changes, corners, steps and sanitary areas in ceramic tile installation projects, protecting ceramic floors from stress on the substrate and expansion due to temperature changes.


BT structural joint

Corners and finishes for wall tiles

pro-mate 2

Straight finishing profile, 2 mm wide, in stainless steel.

Especially recommended for non-rectified tiles.



Uses



SAP	pro-mate 2	h (mm)	Length (mm)	PTU*
100126769	stainless steel V2A	6	2500	31,86
100004957	stainless steel V2A	10	2500	31,62
100276385	stainless steel V2A	11	3000	40,48
100004958	stainless steel V2A	12,5	2500	32,70
100276386	stainless steel V2A	12,5	3000	41,97
100004959	stainless steel V2A	15	2500	47,60
100004960	stainless steel V2A	20	2500	50,28
100004967	stainless steel V2A gloss	10	2500	40,14
100004968	stainless steel V2A gloss	12,5	2500	48,66
100004964	stainless steel V4A	10	2500	34,87
100004965	stainless steel V4A	12,5	2500	39,08


* Price list in points per piece. Taxes not included.

Corners and finishes for wall tiles

pro-mate 3

Straight finishing profile, 3 mm wide, for ceramic tiles.

Especially recommended for rectified tiles.




Uses



SAP	pro-mate 3 brass	h (mm)	Length (mm)	PTU*
100126772	chrome	6	2500	80,03
100004951	chrome	8	2500	93,00
100004952	chrome	9	2500	81,38
100004953	chrome	10	2500	82,37
100004954	chrome	12,5	2500	84,37
100286309	chrome	12,5	3000	101,24

* Price list in points per piece. Taxes not included.

Uses



SAP	pro-mate 3 aluminium	h (mm)	Length (mm)	PTU*
100126770	silver	6	2500	25,57
100004899	silver	8	2500	14,61
100004900	silver	9	2500	15,82
100004901	silver	10	2500	15,36
100200608	silver	11	2500	14,70
100276187	silver	11	3000	23,87
100004902	silver	12,5	2500	16,47
100276196	silver	12,5	3000	24,24
100004903	silver	15	2500	18,75
100004925	silver gloss	10	2500	31,68
100004926	silver gloss	12,5	2500	32,64
100220142	black	8	2500	33,42
100171991	black	10	2500	34,50
100220132	black	12,5	2500	34,45
100286597	black	12,5	3000	37,22
100126771	white gloss	6	2500	23,02
100004911	white gloss	10	2500	22,52
100004912	white gloss	12,5	2500	24,53
100004919	black gloss	10	2500	22,52
100004920	black gloss	12,5	2500	24,53

* Price list in points per piece. Taxes not included.

Uses



SAP	pro-mate 3 PVC	h (mm)	Length (mm)	PTU*
100004865	white PVC	10	2500	5,29
100004873	white PVC	12,5	2500	5,70

* Price list in points per piece. Taxes not included.


Levels of use ■ recommended ■ suitable ■ not suitable

Corners and finishes for wall tiles

pro-mate 5

Straight finishing profile, 5 mm wide, for ceramic tiles.

Especially recommended for rectified tiles.



Uses



SAP	pro-mate 5 brass	h (mm)	Length (mm)	PTU*
100126779	chrome	7	2500	112,31
100004945	chrome	9	2500	92,43
100004946	chrome	11	2500	95,81
100286603	chrome	11	3000	114,96
100004955	chrome	12,5	2500	99,18
100004944	brass gloss	11	2500	63,38

* Price list in points per piece. Taxes not included.

SAP	pro-mate 5 aluminium	h (mm)	Length (mm)	PTU*
100004927	silver	11	2500	24,57

* Price list in points per piece. Taxes not included.


Levels of use ■ recommended ■ suitable ■ not suitable

Corners and finishes for wall tiles

pro-part Li

Straight finishing profile with equal height and width for ceramic tiles.

Especially recommended for rectified tiles.




Uses



SAP	pro-part Li brass	h (mm)	a (mm)	Length (mm)	PTU*
100126780	chrome	4,5	5,5	2500	122,85
100070170	chrome	11	12	2500	118,01
100098464	chrome corner	11	12	10	31,69
100070171	chrome	12,5	13,5	2500	124,28
100085153	chrome corner	12,5	13,5	10	37,80

* Price list in points per piece. Taxes not included.

Uses



SAP	pro-part Li aluminium	h (mm)	a (mm)	Length (mm)	PTU*
100128227	silver	4,5	5,5	2500	25,01
100062074	silver	11	12	2500	28,91
100093706	chrome corner	11	12	12	34,03
100062086	silver	12,5	13,5	2500	31,63
100093705	chrome corner	12,5	13,5	12,5	34,03
100062072	silver gloss	11	12	2500	59,49
100102763	silver gloss corner	11	12	12	15,29
100062073	silver gloss	12,5	13,5	2500	63,99
100102762	silver gloss corner	12,5	13,5	12,5	18,59

* Price list in points per piece. Taxes not included.


Levels of use ■ recommended ■ suitable ■ not suitable

Corners and finishes for wall tiles

pro-part

Straight end profile, 8 mm wide, for ceramic tiles.

Especially recommended for rectified tiles.



Uses



SAP	pro-part brass	h (mm)	Length (mm)	PTU*
100005368	chrome	7	2500	90,17
100005373	chrome corner	7	8	32,77
100177061	chrome line	7	2500	138,00
100177062	chrome line matt	7	2500	136,62
100005369	chrome	9	2500	93,71
100005374	chrome corner	9	8	32,77
100088905	chrome	10	2500	104,71
100091065	chrome corner	10	8	31,88
100005370	chrome	11	2500	107,00
100286618	chrome	11	3000	131,92
100005375	chrome corner	11	8	32,77
100120367	chrome line	11	2500	147,48
100157798	chrome line matt	11	2500	147,48
100005371	chrome	12,5	2500	110,42
100286360	chrome	12,5	3000	132,49
100005376	chrome corner	12,5	8	32,77
100177058	chrome line	12,5	2500	151,90
100177059	chrome line matt	12,5	2500	114,44

* Price list in points per piece. Taxes not included.

SAP	pro-part brass	h (mm)	Length (mm)	PTU*
100005362	brass gloss	9	2500	54,95
100005363	brass gloss	11	2500	77,02
100005364	brass gloss	12,5	2500	79,54

* Price list in points per piece. Taxes not included.

Uses




Levels of use ■ recommended ■ suitable ■ not suitable



pro-part black

Uses



SAP	pro-part aluminium	h (mm)	Length (mm)	PTU*
100005322	silver	7	2500	20,53
100005336	silver corner	7	8	27,69
100005323	silver	9	2500	21,63
100005337	silver corner	9	8	27,69
100005324	silver	11	2500	22,71
100005338	silver corner	11	8	27,69
100005325	silver	12,5	2500	24,93
100005339	silver corner	12,5	8	27,69
100005326	silver	15	2500	33,21
100089004	silver gloss	11	2500	75,35
100005353	silver gloss	12,5	2500	75,35
100220100	black	7	2500	37,86
100325883	black	9	2500	38,44
100171975	black	11	2500	39,04
100220083	black	12,5	2500	40,21
100332940	white	9	2500	33,78
100296752	white	11	2500	37,52
100286598	white	12,5	2500	38,89
100088551	black gloss	11	2500	37,34
100080530	black gloss	12,5	2500	38,70
100100723	white gloss	11	2500	37,34
100083438	white gloss	12,5	2500	38,70

* Price list in points per piece. Taxes not included.

Uses



SAP	pro-part stainless steel	h (mm)	Length (mm)	PTU*
100005378	stainless steel	11	2500	43,03
100005379	stainless steel	12,5	2500	47,95

* Price list in points per piece. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



Corners and finishes for wall tiles

pro-mate 45

Rounded or chamfered profiles for tile corners.
Characterised by its high impact resistance.

Installed at the same time as the tiles.

Applications: corner protection.





pro-mate 45 top
Chamfered brass finishing profile. For walls only.

Uses



SAP	pro-mate 45 top	h (mm)	Length (mm)	PTU*
100126778	chrome	6	2500	90,56
100099965	chrome	10	2500	90,30
100128801	chrome	12,5	2500	102,01
100126777	silver	9	2500	28,91

* Price list in points per piece. Taxes not included.





pro-mate 45
Rounded brass finishing profile. For walls only.

Uses



SAP	pro-mate 45	h (mm)	Length (mm)	PTU*
100126776	chrome	6	2500	92,90
100099963	chrome	10	2500	104,83
100099964	chrome	12,5	2500	112,05

* Price list in points per piece. Taxes not included.



pro-mate 45 open
Rounded aluminium finishing profile. For walls only.

Uses





SAP	pro-mate 45 open	h (mm)	Length (mm)	PTU*
100005156	stainless steel	8	2500	39,24
100005157	stainless steel	10	2500	87,26
100005158	stainless steel	12,5	2500	50,59

* Price list in points per piece. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable



pro-mate 45 top chrome



pro-mate 45 closed
Rounded aluminium finishing profile. For walls only.

Uses



SAP	pro-mate 45 closed	h (mm)	Length (mm)	PTU*
100005094	silver	10	2500	19,76
100005096	silver	12,5	2500	21,75
100096222	silver gloss	10	2500	35,97
100100665	silver gloss	12,5	2500	37,63
100005113	white	10	2500	22,58
100005117	white	12,5	2500	24,47

* Price list in points per piece. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable


Corners and finishes for wall tiles

pro-corner

Metal profiles for tile corners.

Installation after tiles have been laid.

Applications: pilaster corners and corner repairs.




Uses



SAP	pro-corner P	h1 (mm)	h2 (mm)	Length (mm)	PTU*
100158002	silver	12	15	2500	85,32
100213125	black	12	15	2500	98,81

* Price list in points per piece. Taxes not included.




Uses



SAP	pro-corner B	h (mm)	a (mm)	Length (mm)	PTU*
100005584	silver	25	25	2500	30,34

* Price list in points per piece. Taxes not included.



Uses



SAP	pro-corner R	h (mm)	a (mm)	Length (mm)	PTU*
100005623	stainless steel gloss	25	25	2500	70,10

* Price list in points per piece. Taxes not included.

Levels of use recommended suitable not suitable

pro-corner R →




Profiles for shower trays

pro-shower floor

Stainless steel profile for the lateral finish of built-in shower trays with the bathroom floor.

Depending on the shower tray, choose one profile for the right side and another for the left side.

Recommended for built-in shower trays with a slope.



Uses



SAP	pro-shower floor	h1 (mm)	h2 (mm)	Length (mm)	PTU*
100350798	black left side	12,5	32	980	96,56
100350799	black right side	12,5	32	980	96,56
100350796	black left side	12,5	32	1480	150,24
100350797	black right side	12,5	32	1480	150,24
100159068	chrome left side	12,5	24	980	97,41
100160219	chrome right side	12,5	24	980	97,41
100159069	chrome left side	12,5	32	1480	153,82
100160280	chrome right side	12,5	32	1480	153,82
100159067	brushed left side	12,5	32	1480	128,04
100160218	brushed right side	12,5	32	1480	128,04

* Price list in points per piece. Taxes not included.

Right and left are determined from the perspective of someone standing inside the tray, looking towards the drain grate.


Profiles for shower trays

pro-shower wall

Stainless steel profile for the lateral finish of built-in shower trays with the bathroom wall.

Depending on the shower tray, choose one profile for the right side and another for the left side.

Recommended for built-in shower trays with a slope.



Uses



SAP	pro-shower wall	h1 (mm)	h2 (mm)	Length (mm)	PTU*
100159100	chrome left side	12,5	32	1480	153,82
100160248	chrome right side	12,5	32	1480	153,82
100159088	brushed left side	12,5	32	1480	128,04
100160246	brushed right side	12,5	32	1480	128,04
100350800	black left side	12,5	32	1480	150,24
100350801	black right side	12,5	32	1480	150,24

* Price list in points per piece. Taxes not included.


Right and left are determined from the perspective of someone standing inside the tray, looking towards the drain grate.

Profiles for shower trays

pro-shower deco

Finishing profile for sides of built-in shower trays in stainless steel.

Recommended for built-in shower trays with a slope..



Uses



SAP	pro-shower deco	h (mm)	Length (mm)	PTU*
100350836	black	24	1250	65,64
100350837	black	32	1250	70,73
100350838	black	40	1250	75,85

* Price list in points per piece. Taxes not included.






pro-dilata CFL · PVC

← pro-sanit U1 silver

**pro-sanit U1 · Aluminium.**

Concave profile for wall/floor and wall/bathtub or shower joints. Direct installation on the joint between ceramic tiles.

**pro-sanit U2 · Stainless steel.**

Concave profile for wall/floor. Installation prior to ceramic tiles.

Concave profiles for waterproofing joints

pro-sanit

Concave profiles for interior angles between tiles and between tiles and other bathroom or kitchen elements. Replaces the traditional curved piece.

Pro-sanit U1: Installation after laying tiles.

Pro-sanit U2: Installation at the same time as tiles.

Applications: facilitates cleaning and reduces the risk of leaks.

Uses

SAP	Finish	h (mm)	a (mm)	PTU*
100062077	silver	16	17	15,95
100062078	silver	22	23	19,97
100062075	silver gloss	16	17	36,89
100062076	silver gloss	22	23	42,10
100062079	white gloss	16	27	22,32
100062080	white gloss	22	23	27,92

* Price list in points per piece. Taxes not included.
2500 mm long profile

Uses

SAP	Finish	h (mm)	PTU*
100005566	stainless steel gloss	12,5	73,42
100005567	stainless steel external corner gloss	12,5	11,99
100005568	stainless steel internal corner gloss	12,5	11,99
100005569	stainless steel brushed	12,5	99,11
100005570	stainless steel external corner brushed	12,5	11,99
100005571	stainless steel internal corner brushed	12,5	11,99
100005542	white	11	22,27

* Price list in points per piece. Taxes not included.
2500 mm long profile

Levels of use ■ recommended ■ suitable ■ not suitable


Transition profiles

pro-T

Transition profiles between tiles at the same level or of slightly different heights.

Installed at the same time as the tiles.

Applications: **transition between different tiles or materials and movement joints.**



pro-T - Brass.


Transition profile between flush-level brass coverings. Especially recommended for floors.

Uses



SAP	Finish	h (mm)	PTU*
100005460	chrome	14	53,66
100005461	chrome	25	71,09
100369840	coal	14	54,06
100369841	coal	25	73,39
100005452	silver	14	10,02
100005453	silver	25	18,33

* Price list in points per piece. Taxes not included.
2500 mm long profile



pro-T - Stainless steel.

Transition profile between coverings at the same level in stainless steel. Especially recommended for floors.

Uses



SAP	Finish	h (mm)	PTU*
100005464	stainless steel brushed	14	63,47
100005465	stainless steel brushed	25	81,82
100005462	stainless steel gloss	14	45,90
100005463	stainless steel gloss	25	64,42

* Price list in points per piece. Taxes not included.
2500 mm long profile

Levels of use ■ recommended ■ suitable ■ not suitable

Transition profiles

pro-level

Transition profiles between tiles at different levels, covers the unglazed side of the tile and protects it from impact.

Installed at the same time as the tiles.

Applications: **protection of floor coverings with pedestrian or vehicular traffic.**



pro-level C - Aluminium.


Transition profile between flooring at different levels in anodised aluminium. Recommended for floors with pedestrian traffic.

Uses



SAP	Finish	h (mm)	a (mm)	PTU*
100005426	silver	11	12	24,57
100005427	silver	12,5	13,5	32,85

* Price list in points per piece. Taxes not included.
2500 mm long profile



pro-level R - Aluminium.

Transition profile between flooring at different levels in anodised aluminium. Recommended for floors with wheeled traffic.

Uses



SAP	Finish	h (mm)	a (mm)	PTU*
100005428	silver	11	45	66,42
100005429	silver	12,5	47	72,99
100005430	silver	15	50	78,53
100005431	silver	20	52	86,48

* Price list in points per piece. Taxes not included.
2500 mm long profile

Levels of use ■ recommended ■ suitable ■ not suitable


Movement joints

pro-dilata

PVC profiles for expansion joints, absorb stresses in flooring or cladding.

Installed at the same time as the tiles.

Applications: expansion joints in flooring with pedestrian traffic.



pro-dilata CFI - PVC.


PVC profile for 5 mm movement joints with pedestrian traffic. Consult the project management team regarding the design of movement joints.

Uses



SAP	Finish	h (mm)	PTU*
100316183	beige	9	15,48
100159074	beige	11	15,89
100159075	beige	12,5	16,34
100316178	light grey	9	15,48
100159078	light grey	11	15,89
100159080	light grey	12,5	16,34
100316191	grey	9	15,48
100159076	grey	11	15,89
100159077	grey	12,5	16,34
100316182	black	9	15,48
100159081	black	11	15,89
100159082	black	12,5	16,34

* Price list in points per piece. Taxes not included.
2500 mm long profile



pro-dilata CFL - PVC.

PVC profile for 8 mm movement joints with pedestrian traffic. Consult the project management team regarding the design of movement joints.

Uses



SAP	Finish	h (mm)	PTU*
100005682	beige	10	15,58
100005686	beige	12,5	15,61
100005690	beige	15	20,12
100005684	grey	10	15,58
100005688	grey	12,5	15,61
100005692	grey	15	20,12
100005683	black	10	15,58
100005687	black	12,5	15,61
100005691	black	15	20,12

* Price list in points per piece. Taxes not included.
2500 mm long profile

Levels of use ■ recommended ■ suitable ■ not suitable


Movement joints

pro-dilata

Metal profiles for movement joints, absorb stress in flooring or cladding.

Installed at the same time as the tiles.

Applications: expansion joints in pavements with all types of traffic.



pro-dilata CFM - Aluminium.


Aluminium profile for 8 mm movement joints with pedestrian and vehicle traffic. Silver finish. Consult the project management team regarding the design of movement joints.

Uses



SAP	Finish	h (mm)	PTU*
100005698	silver	10	76,47
100005699	silver	12,5	61,95
100005700	silver	15	65,06
100005702	silver	20	90,30

* Price list in points per piece. Taxes not included.
2500 mm long profile



pro-dilata CFM - Stainless steel.


Stainless steel profile for 10 mm movement joints with pedestrian and vehicle traffic. Consult the project management team regarding the design of movement joints.

Uses



SAP	Finish	h (mm)	PTU*
100005714	stainless steel	10	115,42
100005715	stainless steel	12,5	102,86
100005716	stainless steel	15	120,96
100005717	stainless steel	20	138,36

* Price list in points per piece. Taxes not included.
2500 mm long profile



pro-dilata CFM - Stainless steel.

Stainless steel profile for 11.6 mm movement joints with pedestrian and vehicle traffic. Consult the project management team regarding the design of movement joints.

Uses



SAP	Finish	h (mm)	PTU*
100280152	stainless steel nc	15	119,85

* Price list in points per piece. Taxes not included.
2500 mm long profile

Levels of use ■ recommended ■ suitable ■ not suitable


Profiles for structural joints

structural joints

Profiles for structural joints in flooring. Available with a deformable polypropylene joint for pedestrian traffic and a movable metal joint for vehicular traffic.

Installed at the same time as the tiles.

Applications: structural joints.



BT structural joint - Aluminum / Rubber.


Structural joint with rubber strip. Maximum resistance 35 kN. Consult the project management team regarding the minimum requirements for structural joints.

Uses



SAP	Finish	h (mm)	PTU*
100332105	grey	22	279,97
100332093	grey	40	336,00

* Price list in points per piece. Taxes not included.
2500 mm long profile



AT structural joint - Aluminium.

Structural joint with metal strip. Maximum resistance 300 kN. Consult the project management team regarding the minimum requirements for structural joints.

Uses



SAP	Finish	h (mm)	PTU*
100324422	silver	22	768,75
100324431	silver	50	837,43

* Price list in points per piece. Taxes not included.
2500 mm long profile


Profiles for steps

pro-step

Profiles for steps, replacing traditional special pieces for stairs with a combination of tile and profile. They protect the from impact and reduce the risk of slipping.

Installed at the same time as the tiles.

Applications: stair treads.



pro-step M1 - Aluminium.


Rounded aluminium profile for steps with tab for the riser. Replace the special ceramic tile for steps.

Uses



SAP	Finish	h (mm)	a (mm)	PTU*
100005509	silver	11	12	26,34
100067688	silver	13,5	14,5	25,88

* Price list in points per piece. Taxes not included.
2500 mm long profile



pro-step M2 - Stainless steel.


Rounded aluminium profile for steps with tab for the riser. Replace the special ceramic tile for steps.

Uses



SAP	Finish	h (mm)	a (mm)	PTU*
100005523	stainless steel	11	12	64,19

* Price list in points per piece. Taxes not included.
2500 mm long profile



pro-step PVC - Aluminum / PVC.

Rounded aluminium and PVC profile for steps with tab for the riser. Replace the special ceramic tile for steps.

Uses



SAP	Finish	h (mm)	PTU*
100005482	grey	11	52,81
100367492	black	11	52,81

* Price list in points per piece. Taxes not included.
2500 mm long profile

Levels of use ■ recommended ■ suitable ■ not suitable

Levels of use ■ recommended ■ suitable ■ not suitable

Skirtings boards


butech skirting boards, such as **pro-plint** and **pro-skirting**, are essential elements in ceramic installation to achieve an aesthetic and functional finish. These metal skirting boards stand out for their quality, durability and versatility in design, providing a complete solution for your skirting board needs.



Check out our range of skirting boards



Uses



pro-skirting

12 mm wide skirting board for flooring. Clamps and covers are supplied separately.

Finishes

Silver

White

Black

Profiles for skirting boards

pro-skirting

Metal profiles with a straight finish and 12 mm projection. Special pieces for corners are available.

Installation after tiles have been laid.

Applications: interior and exterior floor skirting boards.

SAP		h (mm)	Presentation	PTU*
100213532	silver	60	1 u.	34,69
100225479	silver	100	1 u.	50,84
100213533	white	60	1 u.	32,74
100225498	white	100	1 u.	50,16
100213522	black	60	1 u.	34,69
100225511	black	100	1 u.	50,16

* Price list in points per piece. Taxes not included.
2500 mm long profile

Profiles for skirting boards

pro-skirting accessories

SAP		h (mm)	Presentation	PTU*
100213200	pro-skirting cover white	60	1 u.	12,04
100235979	pro-skirting cover white	100	1 u.	13,16
100213153	pro-skirting cover black	60	1 u.	12,04
100236020	pro-skirting cover black	100	1 u.	13,16
100193608	pro-skirting anchor stainless steel		50 u.	16,20

* Price list in points per piece except for pro-skirting anchor, which is priced in points per bag of 50 ud. Taxes not included.

Levels of use ■ recommended ■ suitable ■ not suitable

Profiles for skirting boards


pro-plint

Metal profiles with curved finish and 10 mm projection.

Installation after tiles have been laid.

Applications: interior and exterior floor skirting boards.

Uses



SAP		h (mm)	Presentation	PTU*
100005635	stainless steel gloss	80	1 u.	49,88
100005636	stainless steel brushed	80	1 u.	58,73
100073104	silver	80	1 u.	46,99

* Price list in points per piece. Taxes not included.
2500 mm long profile

pro-plint

Ultra-thin stainless steel skirting board with curved edges for flooring.

Finishes

Stainless steel gloss

Stainless steel brushed

Silver

Profiles for skirting boards

pro-plint accessories

Special components for corners, internal angles, end caps, and profile joints.

SAP		h (mm)	Presentation	PTU*
100073105	pro-plint corner silver	80	1 u.	7,05
100073106	pro-plint corner silver	80	1 u.	8,53
100073107	right side cover for pro-plint silver	80	1 u.	8,90
100073108	left side cover for pro-plint silver	80	1 u.	5,27
100073109	pro-plint connection piece silver	80	1 u.	8,23

* Price list in points per piece. Taxes not included.

pro-plint stainless steel brushed



Levels of use recommended suitable not suitable



Construction systems

The quality of a ceramic tile installation depends on the perfect combination of substrate, tiles and installation materials. To this end, **butech** has specific systems for stairs, underfloor heating and areas exposed to water that help bring its customers' projects to life.

Floating stairs

Floating stairs expand the visual space and improve the lighting of the area. These designs create a levitation effect in which the steps, made of the same material as the floor, rise up through the space, floating in the air.

The **butech** floating stairs system requires a load-bearing wall or structure to support the weight of the staircase itself. The main support element is a steel crossbar that is anchored to the load-bearing element on one of its sides. Only six anchor bolts are used for fixing, with no additional components required. However, if the project requires it, tension cables anchored to the ceiling, handrails, railings, etc. can be used.



Check out our floating stairs system




Floating stairs

steps

Ceramic step protruding from a wall of variable length, manufactured according to the project. For indoor use (OSB core) or outdoor use (XPS core)

Ceramic included.

Does not include adhesive or fixings for railings.



Customized steps are available, but the standard measurements are:

Length: 80 / 90 / 100 / 120 cm
Width: greater than or equal to 28 cm
Thickness: greater than 9 cm

This system is designed to be used primarily indoors, but can be adapted to outdoor projects.




Check the study sheet

modular XPS Niches

Prefabricated bathroom niches for decoration and storage of hygiene and beauty products.

For professional use. Before installation, consult the technical data sheets and installation video.

Includes waterproof side panel.




Modular XPS niches

Prefabricated modules for creating niches in bathrooms and wet areas for shampoo or shower gel.

Produced from concept panels with a waterproof XPS foam core and surrounded by a waterproof sheet, they are quick and easy to install, without the need for on-site construction. With **butech**'s modular XPS recesses, you can create shelves and all kinds of recesses in shower cubicles and bathrooms, protected against water leaks and ready to be covered with mosaic or ceramic tiles. Suitable for public and private use.



Check out our modular XPS niches



SAP	Dimensions	Presentation	PTU*
100367184	customised	1 u.	According to the project
100362819	200 x 400 mm	1 u.	59,68
100362784	300 x 400 mm	1 u.	86,33
100362796	400 x 400 mm	1 u.	103,96
100362798	500 x 400 mm	1 u.	117,12

* Price list in points per u. Taxes not included.

concept XPS panels

concept XPS panels are extruded polystyrene panels ready for laying wall tiles, mosaics or natural stone with cement-based adhesives. Polystyrene lightness and easy handling, as well as its mechanical resistance and damp resistance make of this panel the perfect substrate for all kinds of environments where damp is present.



Check out our concept XPS panels



concept XPS panels

concept XPS panel

Extruded polystyrene panel coated with cement mortar, ready for ceramic tiles. It is characterised by its dimensional perfection, water resistance, lightness and ease of installation.

Uses



SAP	concept XPS panel	Dimensions	Presentation	PTU*
100103351	4 mm	600 x 4 x 1250 mm	1 u.	25,24
100103352	6 mm	600 x 6 x 1250 mm	1 u.	24,31
100103349	10 mm	600 x 10 x 2500 mm	1 u.	52,91
100103350	20 mm	600 x 20 x 2500 mm	1 u.	57,04
100103354	30 mm	600 x 30 x 2500 mm	1 u.	64,37
100103355	50 mm	600 x 50 x 2500 mm	1 u.	74,42
100103356	80 mm	600 x 80 x 2500 mm	1 u.	116,37

* Price list in points per u. Taxes not included.

Accessories for installation

concept XPS panel accessories

SAP		Dimensions	Presentation	PTU*
100067686	concept metal fixings 45 cm		bag 50 u.	52,96 €/bag
100062775	concept fixings 80 cm		bag 10 u.	10,25 €/bag
100062776	concept fixings 80 cm		bag 50 u.	46,13 €/bag
100062773	concept fixings 130 cm		bag 10 u.	15,04 €/bag
100062774	concept fixings 130 cm		bag 50 u.	66,96 €/bag
100292915	h-920 white		cartridge 290 ml	12,19 €/u.
100031189	super-one n gris		bag 25 kg	1,39 €/kg
100062826	self-adhesive mesh 20 m	1000 x x 20000 mm	roll 1 u.	25,29 €/roll

* Price list in points. Taxes not included.



super-one n



h-920



concept fixings



concept metal fixings



self-adhesive mesh

Levels of use ■ recommended ■ suitable □ not suitable

Electric underfloor heating system

butech's electric underfloor heating is an electric resistance heating system for radiant flooring, specially designed to provide comfort in ceramic bathroom floors and, in general, all types of floors used barefoot. The electric underfloor heating system consists of an electric resistance and a programmable thermostat.



Check out our electric underfloor heating system



Electric mesh

premium S.R.E. mesh

Ultra-thin multifilament heating system, only 1.8 mm thick, consisting of two heating cables protected by a double layer of extremely hard fluoropolymer, placed on a self-adhesive mesh that facilitates the installation of ceramic flooring. Power: 150 W/m².

For professional use. Before installation, consult the technical data sheets and installation video.

SAP	premium S.R.E. mesh	Dimensions	Presentation	PTU*
100232008	1 m ²	500 x 3 x 2000 mm	1 u.	170,45
100232081	1,5 m ²	500 x 3 x 3000 mm	1 u.	196,34
100232053	2 m ²	500 x 3 x 4000 mm	1 u.	218,83
100232009	2,5 m ²	500 x 3 x 5000 mm	1 u.	250,43
100232090	3 m ²	500 x 3 x 6000 mm	1 u.	279,71
100232082	4 m ²	500 x 3 x 8000 mm	1 u.	361,83
100232016	5 m ²	500 x 3 x 10000 mm	1 u.	442,83
100232080	10 m ²	500 x 3 x 20000 mm	1 u.	760,85

* Price list in points per piece. Taxes not included.

Smart controller

control 10GM

Underfloor heating thermostat with touchscreen for smartphones, providing effortless control. Available in Onyx Black, with an ultra-slim design (16 mm from the wall). Works with SmartGeo, an advanced energy-saving system available in the MyUFH app.

For professional use. Before installation, consult the technical data sheets and installation video.



SAP		Dimensions	Presentation	PTU*
100305735	10GM controller	90 x 39 x 115 mm	1 u.	386,81

* Price list in points per piece. Taxes not included.

butech's sales department is at your disposal for underfloor heating projects. Simply send us a dimensioned plan and indicate the type of support and flooring to receive a quote for underfloor heating materials.



Raised access flooring outdoor

butech's outdoor raised access flooring allows you to create completely flat flooring on terraces, concealing both drainage slopes and underfloor installations. Levelling is achieved by means of height-adjustable plots, while drainage is channelled through the open joints between the tiles and the waterproofed slopes to the drains.

PORCELANOSA's high-performance 20 mm thick ceramic tiles guarantee excellent mechanical resistance, durability and aesthetics, with non-slip finishes.



Check out our exterior raised flooring system

exterior raised access flooring

Outdoor flooring in which the 20 mm thick tiles, instead of being glued directly to the substrate, are laid on adjustable base plots. Completely flat, water drains through the open joints between the tiles.

Includes 20 mm tile, plots and accessories.

customised technical footprint

Special piece for raised outdoor floors, steps and pool coping pieces made to measure for any 20 mm ceramic model.

SAP	Dimensions	PTU*
100333194	According to plan	According to plan

How to request a quote for outdoor RAF

- Provide dimensioned plans.
- Specify the model and format to be used.
- Additional information: steps, skirting boards, etc.



Once this information is received, **butech** will provide a breakdown, indicating the recommended quantity of tiles to be used along with the corresponding quantity and dimensions of each pedestal and its placement. This must subsequently be reviewed and confirmed by the installation company.

butech can also provide raised outdoor flooring with tiles consisting of two non-slip porcelain stoneware tiles from PORCELANOSA Group joined together with a moisture-reactive hot-melt adhesive. The tiles must be at least 8.5 mm thick.



Check the study sheet

1. The 20 mm thick tiles.
2. Plot.



Uses



Exterior raised flooring

Riven

Wood Series

The Riven series features finishes in natural tones with anti-slip properties, making them ideal for outdoor use. These tiles enhance the aesthetics of any space, providing both safety and style.

Includes 20 mm ceramic tiles, support plots, and installation accessories.




SAP	Color	Format	PTU*
100229775	Brown	29,5 x 120 x 2 cm	According to the project



SAP	Color	Format	PTU*
100229737	Cream	29,5 x 120 x 2 cm	According to the project



SAP	Color	Format	PTU*
100229792	White	29,5 x 120 x 2 cm	According to the project



Uses



Exterior raised flooring

Tanzania

Wood Series

The Tanzania series offers tiles in a variety of natural and metallic tones with anti-slip finishes, suitable for outdoor areas. These tiles combine style and functionality, transforming any space into a safe and elegant environment.

Includes 20 mm ceramic tiles, support plots, and installation accessories.



SAP	Color	Format	PTU*
100323765	Almond	29,5 x 120 x 2 cm	According to the project



SAP	Color	Format	PTU*
100323766	Natural	29,5 x 120 x 2 cm	According to the project



SAP	Color	Format	PTU*
100323785	Nut	29,5 x 120 x 2 cm	According to the project



SAP	Color	Format	PTU*
100323767	Silver	29,5 x 120 x 2 cm	According to the project



SAP	Color	Format	PTU*
100323793	White	29,5 x 120 x 2 cm	According to the project

format (cm)	box pieces	m ²	pallet boxes	m ²
29,5 x 120 x 2 cm	2	0,71	32	22,66

Uses



Exterior raised flooring

Rox New

Stone Series

This series is already a classic in outdoor flooring inspired by natural stone. With three perfectly defined finishes, Rox New is a safe choice for balconies, terraces, and outdoor paving.

Includes 20 mm ceramic tiles, support plots, and installation accessories.



SAP	Format	PTU*
100162750 Beige	59,6 x 59,6 x 2 cm	According to the project



SAP	Format	PTU*
100162743 Coal	59,6 x 59,6 x 2 cm	According to the project



SAP	Format	PTU*
100162534 Grey	59,6 x 59,6 x 2 cm	According to the project

format (cm)	box pieces	m ²	pallet boxes	m ²
59,6 x 59,6 x 2 cm	2	0,71	32	22,73

Uses



Exterior raised flooring

Berna

Stone Series

The Berna series offers tiles with a stone-like appearance and anti-slip finish, ideal for both residential and commercial projects. Combining durability with modern design, these tiles add elegance and safety to any setting.

Includes 20 mm ceramic tiles, support plots, and installation accessories.



SAP	Format	PTU*
100323966 Acero	60 x 120 x 2 cm	According to the project

format (cm)	box pieces	m ²	pallet boxes	m ²
60 x 120 x 2 cm	1	0,72	27	19,44





Uses



Exterior raised flooring

Durango

Stone Series

The Durango series captures the essence of natural stone, offering a blend of strength and style in matte finishes that evoke warmth and elegance. Perfect for outdoor use.

Includes 20 mm ceramic tiles, support plots, and installation accessories.



SAP		Format	PTU*
100323667	Acero	60 x 120 x 2 cm	According to the project
100308870	Acero	59,6 x 59,6 x 2 cm	According to the project

SAP		Format	PTU*
100384107	Bone	60 x 120 x 2 cm	According to the project
100308829	Bone	59,6 x 59,6 x 2 cm	According to the project

format (cm)	box pieces	m ²	pallet boxes	m ²
60 x 120 x 2 cm	1	0,72	27	19,44
59,6 x 59,6 x 2 cm	2	0,71	32	22,73

Uses



Exterior raised flooring

Bottega

Concrete Series

The Bottega series offers ceramic tiles with a cement-effect finish, available in different shades, bringing an industrial and contemporary aesthetic to any space. Combining exceptional strength and durability, these tiles are ideal for those seeking a touch of originality and style.

Includes 20 mm ceramic tiles, support plots, and installation accessories.



SAP		Format	PTU*
100323637	Acero	60 x 120 x 2 cm	According to the project
100368873	Acero	90 x 90 x 2 cm	According to the project
100285276	Acero	59,6 x 59,6 x 2 cm	According to the project

SAP		Format	PTU*
100323742	Caliza	60 x 120 x 2 cm	According to the project
100368869	Caliza	90 x 90 x 2 cm	According to the project
100285287	Caliza	59,6 x 59,6 x 2 cm	According to the project

format (cm)	box pieces	m ²	pallet boxes	m ²
60 x 120 x 2 cm	1	0,72	27	19,44
90 x 90 x 2 cm	1	1,44	15	21,06
59,6 x 59,6 x 2 cm	2	0,71	32	22,73



1 Cementitious joints
colorstuk rapid n
High-performance cementitious grout for joints up to 15 mm. Suitable for all types of ceramic tiles and natural stone, both indoors and outdoors.

2 Compliant with European standard EN 13888
CG2WA
Coverage: According to format. See table on page 33

3 Before using the joint material, check that it does not scratch, stain or damage the covering used.

4

5 Uses
Facade Outdoor floor Interior wall Interior floor Shower area Pool Wall tile Porcelain stoneware Light stone Special coverings Underfloor heating Ceramic mosaic

6

SAP	colorstuk rapid n	Presentation	Europalet	PTU*
100236463	blanco	bag 5 kg	400 kg	4,16
100275760	perla	bag 5 kg	400 kg	4,89
100236834	gris	bag 5 kg	400 kg	4,26
100236464	manhattan	bag 5 kg	400 kg	3,76
100236449	cemento	bag 5 kg	400 kg	3,62
100236481	antaoquita	bag 5 kg	400 kg	3,72
100236475	negro	bag 5 kg	400 kg	4,47
100236794	marfil	bag 5 kg	400 kg	5,21
100331788	caliza	bag 5 kg	400 kg	5,21
100236808	beige	bag 5 kg	400 kg	5,21
100236833	caramelo	bag 5 kg	400 kg	4,68
100236809	marron	bag 5 kg	400 kg	3,72
100236823	tabaco	bag 5 kg	400 kg	5,01
100236824	moika	bag 5 kg	400 kg	3,90
100351483	ash	bag 5 kg	400 kg	4,68
100351486	maple	bag 5 kg	400 kg	4,68
100351487	beech	bag 5 kg	400 kg	4,68
100351482	alno	bag 5 kg	400 kg	4,91
100351481	janko	bag 5 kg	400 kg	4,68
100399550	oak	bag 5 kg	400 kg	5,13
100351485	ebussie	bag 5 kg	400 kg	5,11

* Price list in points per kg. Taxes not included.
The colours shown are approximate and may vary for printing reasons.

7 Levels of use ■ recommended ■ suitable ■ not suitable

8 Laying ceramic tiles | Joint materials - 25

9 Grouting materials for the installation of ceramic tiles
butech offers a wide range of materials for grouting ceramic tiles, guaranteeing impeccable and long-lasting results. butech's Grouting materials are the perfect choice for achieving a uniform and resistant appearance.

10 Check out our grouting materials

1. Product type and name.
2. QR code linking to the technical sheet, study sheet, or product characteristics.
3. Product certificates and standards. Performance and additional information.
4. Product image.
5. Iconography related to product applications.
6. Table of references, colours, dimensions, presentation, and price.
7. Legend of usage levels according to the icon colour shade.
8. Product family.
9. Descriptive text of the product family.
10. QR code linking to the product family web page.

Facade Exterior floor Interior wall Interior floor Shower area Pool

Ceramic wall tiles Porcelain stoneware Xlight XTONE Special coverings

Underfloor heating Ceramic overlay

The iconography features different shades of black depending on the level of use for which the products are intended.

Recommended
Product recommended for the use or material.

Suitable
Possible use depending on the product or substrate characteristics.

Not suitable
Product not recommended for the use or material.

butech
PORCELANOSA Grupo

1ª edición | 03/2026

butech General Catalogue 2026 - SAP 450022521

Photography: butech Marketing and Design Department

Graphic design: bebomo.com

Edited by: butech building technology, S.A.

Print: Imprensa

butech building technology, S.A.

Ctra. Vila-real - Puebla de Arenoso (CV-20) km 2,5 · Vila-real (Spain)

+34 964 53 62 00

butech@butech.es



www.butech.es

Price list are per point (unless a typographical error) as of the publication date of this catalogue. Taxes not included.

The companies of PORCELANOSA Grupo reserve the right to modify prices or discontinue the models shown in this catalogue without prior notice. The colours of the pieces may show slight differences compared to the originals. The settings shown in this catalogue are decorative suggestions for advertising purposes; for actual installation, the installation instructions published by PORCELANOSA Grupo must be followed.

The contents of this catalogue are protected by Intellectual Property Law, Royal Decree 1 / 1996. Any reproduction of it, in whole or in part, without the consent of PORCELANOSA Grupo is liable under the Penal Code.





BY APPOINTMENT TO
H.M. THE KING
MANUFACTURERS AND DISTRIBUTORS
OF CERAMIC TILES AND BUILDING PRODUCTS.
PORCELANOSA UK LIMITED

PORCELANOSA Grupo

SAP 450022521